

# Built-in appliances

2009/2010 – 2nd Edition



**BOSCH**

Invented for life






“It has always been an unbearable thought to me that someone could inspect one of my products and find it inferior in some way. For that reason I have consistently tried to produce products which can withstand the closest scrutiny – products which prove themselves to be superior in every respect.”

Robert Bosch 1861-1942

# Contents.

Ovens	6 – 31
Compact appliances – combination ovens, microwaves, steam ovens, coffee maker and warming drawers	32 – 45
Gas hobs	46 – 55
Electric hobs	56 – 69
Domino hobs	70 – 71
Hoods	72 – 87
Refrigeration	88 – 105
Dishwashers	106 – 121
Home laundry	122 – 127
Bosch customer service	128





# Great performance. Perfect symmetry.



**The new collection of Bosch built-in appliances** has been designed to give you perfect symmetry in your home. Matching control panels and horizontal lines allow you to mix and match products vertically and horizontally. Every detail has been considered from the control panels, dials and knobs to the handles and door design.



# Designed for simplicity.

**To help you choose** the right Bosch appliance for your needs we have divided our product groups into three distinct design lines. Control panels, door designs, handles and even functions are consistent across the ranges, allowing you to perfectly match the look of your appliances and making operating them even simpler.



## *Logixx*

Premium models with exceptional cutting-edge features and extras. All our Logixx machines offer electronic controls, and you will find innovative features such as clear text displays and metal touch controls, as well as all-steel handles and illuminated pop-out controls.

## *Exxcel*

Mid-range models with a broad range of extra features and benefits. Large easy to use LED displays are common and selected products offer electronic controls. The stylish Bosch U-form door design, glass-on-metal door construction and metal-capped pop-out controls are also features to look out for.

## *Classixx*

Simple practical models offering Bosch build quality and value for money. The highest quality materials such as stainless steel and cast iron are used throughout as well as the latest technologies and design features such as touch controls and pop-out controls.



Which? the number one consumer organisation, has awarded Bosch the prestigious 'Best Domestic Appliance Brand 2009'.

Which? Experts analysed test and survey results across the year and paid particular attention to those companies who have provided best value to their customers.

Bosch have been awarded 22 Which? Best Buys so far across 7 categories including: washing machines, tumble dryers, ovens, dishwashers, refrigeration, vacuum cleaners and irons.

What Which? says:

'The Bosch range consistently represents strong technical performance at affordable prices.

Very good cotton wash cleaning and rinsing, easy to use, great cleaning and drying of dishes, oven cooked every cake perfectly, excellent ironing results, stunning vacuuming, brilliant at keeping small particles in, one of the quietest machines we've tested'.

So thanks to Which? you can now put an award winner in your home.







# Ovens.

## *Logixx*

Premium models with exceptional cutting-edge features and extras. The design has been refined to give you the ultimate in contemporary style with twin display windows, illuminated pop-out controls and metal touch control panels. Also look out for advanced features such as Auto Cook and memory function.



## *Exxcel*

Mid-range models with a broad range of extra features and benefits. The unique U-form door design, glass-on-metal door construction, all-steel handles and metal-capped pop-out controls ensure these ovens stand apart from the crowd. And, with their large LED displays and broad range of cooking functions they are truly a pleasure to use.



## *Classixx*

Simple practical models offering Bosch build quality and value for money. Cooking functions are simplified, but you will still find easy-to-use large display windows, touch controls and even pyrolytic self-cleaning, the ultimate self-cleaning system, which makes cleaning the oven a breeze.



# Ovens features and benefits.



## Performance



### EU Energy Label

To help you choose the most energy efficient appliances, the EU has introduced an energy-rating scheme, whereby all ovens are required to display an EU Energy Label. The most efficient rating is 'A' and the least efficient is 'G', all Bosch single ovens have been awarded an A rating and all double ovens have an A/B rating.

## Design

### Metal behind glass

The new generation of Bosch ovens bring style and elegance to the kitchen. The new concept U-form door has a horizontal section of steel behind the outer glass for a unique, chic look.

### Sleek new lines

Our new ovens combine the highest quality stainless steel and glass for a sleek and resistant finish. The ergonomically designed all-steel straight bar handle integrates perfectly with the door. And, matching control panels and horizontal lines allow you to mix and match different products vertically and horizontally for a completely coordinated look.

### Enamel titanium coating

The grey enamel titanium interior coating is easy to clean and the lighter colour improves visibility of your dishes while cooking.

### 3 door constructions

Our range of single ovens are available with three different door constructions; drop-down, pullout and side opening, so that you can ensure the best solution for your kitchen environment and personal requirements.

### Control panel

Fully programmable, the new twin display control panel is intuitive and simple to use. Selected models also feature clear text on the display screen.

### Pop-out controls

Not only make the oven easy to operate but also they maintain a clean line when the oven is not in use, making the oven control panel easy to clean. Our top of the range Logixx models also have an illuminated red band.

### Metal touch controls

Our state-of-the-art ovens now feature the latest in touch control technology with metal touch controls, which only require the lightest touch to activate them.

### Colour options

Bosch built-in appliances come in a number of finishes to complement most kitchen styles. Brushed steel offers a bold, stunning statement, while premium black and white models feature glass fascias, steel handles and steel finished control dials to deliver a modern, contemporary twist to old favourites. Those who prefer their white and black models in a more traditional form, Bosch also offers models with colour coordinated handles, controls and metal fascias.



## Convenience



### Pyrolytic self-cleaning system

The ultimate in self-cleaning power and convenience. During the pyrolytic self-cleaning cycle, the oven is heated to around 480°C, at this temperature any deposits are quickly reduced to a thin layer of ash, which can then be simply wiped away with a damp cloth to leave a completely clean oven.

### Memory function

Store your favourite recipe instructions e.g. heating mode + temperature + cooking duration then simply press the memory button to repeat the sequence at any time.

### Sabbath setting

The oven can be set to maintain a temperature of 85°C for between 24 and 73 hours.

## Safety

### Safer touch doors

Bosch oven doors are either double or triple glazed depending on the model, and ensure that the temperature of the door is always well within safety standards.



### Safety lock

Simply press the lock key for 4 seconds to disable all functions.

### Automatic switch off (electronic ovens)

For extra peace of mind, if left unattended, the electronic oven will switch off after a specific period of time. This additional safety feature is only available on electronic models. This can be over-ridden simply by periodically adjusting the temperature.

Temperature range	Automatic switch off after:
Under 101°C	73 hours
101 - 140°C	24 hours
141 - 200°C	6 hours
201 - 250°C	3 hours
251°C+	2 hours

## Optional accessories

### Deep pan

This extra deep large pan has a capacity of 10 litres and is ideal for grilling or roasting on a big scale. (HEZ333000)

### Fully extendable shelf rails

The height of convenience, telescopic shelf rails allow you to pull out the oven shelves to access an item without having to lift it out of the oven. Ideal for basting or tasting quickly and safely. Each set is supplied with rails for three shelf levels. (HEZ338305)

## Standard accessories

Please see the specification guide at the back of this brochure.




## Auto Cook.

**Imagine having a sous-chef** working for you in your kitchen everyday? With Auto Cook you can!

Simply place the dish in the oven, and then choose the appropriate automatic programme from the menu. There are 40 or 68 recipes to choose from depending on the model.

Specify how you want your dish cooked. For example, if you are cooking roast beef would you prefer it rare, medium or well done?





Input the weight of the meat or fish and press start. Auto Cook then takes over and determines the cooking mode, temperature and cooking duration. It even switches off the oven towards the end of the cooking time to finish off using residual heat thus saving energy.

Poultry, red meat, fish or stews, Auto Cook will cook your dish to perfection. As Auto Cook requires the use of ovenware with a lid your oven will stay clean too. Cooking with Bosch couldn't be simpler.

- 1 Press the Auto Cook key and select an automatic cooking programme**
- 2 Specify how you would like it cooked i.e. rare**
- 3 Input the weight**
- 4 Press start**



## Cooking functions.

**Multi-function cooking** provides a solution for all your cooking requirements. With a choice of up to 11 different cooking functions, from traditional heating systems to more specialised functions such as Hydrobaking and Pizza setting, a Bosch oven will provide you with the flexibility to prepare a variety of meals for you and your family.







### 3D hot air cooking

The element around the fan distributes the heat quickly and evenly throughout the oven for same temperature cooking on three levels. Sweet and savoury items can be cooked at the same time. At higher temperatures (200-220°C) the effect is to evenly grill on three levels – with no turning of the food required. Use high temperature 3D hot air cooking, for example, to cook an entire full English breakfast.



### Conventional top and bottom heat

Employs both the upper and lower heating elements.

The heat travels to the centre of the oven by natural convection, which is the best position to obtain the selected temperature. Most foods can be cooked using this system, but it is best suited to foods which require a dark crisp finish or long slow cooking.



### Bottom heat only

Only the bottom element is used to generate heat.

This method is ideal for reheating or for when a crisp underside is required such as pizza bases and pastry cases. It can also be used for drying herbs and bain-marie cooking.



### Full width variable grill

Enables you to grill large quantities with precise temperature control. For added efficiency grilling is performed with the oven door closed.



### Half width variable grill

On selected ovens you have the option to select just the centre section of the grill element as an economical way to grill smaller quantities of food.



### Hot air grilling

An ideal cooking method for meat and poultry where a rotisserie effect is desired. The grill and fan operate alternately, which results in even crisp food and can use up to 50% less energy than traditional roasting.



### Defrost

Perfect for gently defrosting meat, poultry, bread, cream cakes and much more.



### Auto Cook

Simply place the dish in the oven, and then choose the appropriate automatic programme from the menu. Specify how you want your dish cooked e.g. rare, medium or well done. Input the weight of the meat or fish and press start. Auto Cook then takes over and determines the cooking mode, temperature and cooking duration to cook your dish to perfection. (See pages 10 & 11 for more details).



### Pizza function

Designed with the pizza-lover in mind, but equally useful for quiches and tarts, this innovative function delivers cooking power for a perfectly crisp, browned base while keeping the topping moist. Suitable also for frozen food, and in many cases no preheating is required.



### Hydrobaking

Retains the natural moisture emitted during the cooking process to prevent your baking from drying out. Ideal for bread and pastries.

### Low temperature cooking

Ideally suited for keeping high quality pan-fried meat at the desired level of rareness or otherwise for an extended period of time without it spoiling. Juices and textures are retained whilst you get on with preparing the rest of the dinner.



### Intensive heat

This time-saver delivers immediate intense heat from below, which is particularly effective for foods with a crispy base such as pizza. It makes it unnecessary to preheat the oven when baking cakes and quiches, and is also ideal for baking with tin, glass or porcelain moulds, which tend to reflect heat or are poor conductors of heat.



### Fast heat

This time-saver preheats the oven approx. 30% faster by using all the heating elements at once.



### Keep warm

This convenient function keeps food items warm at temperatures between 66°C and 100°C at the touch of a button.



### Plate warming

Food stays warm for longer if served up in preheated ovenware. Plate warming allows you to preheat porcelain ovenware to between 30°C to 65°C.



## Bosch Logixx ovens with Auto Cook.

**Simply place the dish in the oven,** and then choose the appropriate automatic programme from the menu. Specify how you want your dish cooked e.g. rare, medium or well done. Input the weight of the meat or fish and press start. Auto Cook then takes over and determines the cooking mode, temperature and cooking duration to cook your dish to perfection. (See pages 10 & 11 for more details).





### Logixx single multifunction oven

**HBA58B650B brushed steel**



- Electronic control
- New concept control panel with metal touch controls and clear text digital display
- U-shape door design with special glass on metal construction and all metal straight bar handle
- All metal pop-out control dial with illuminated band
- Designed to coordinate with other Bosch Logixx products within the range
- Automatic programmer
- Memory function
- Info button showing actual temperature display during heating-up
- Automatic temperature proposal
- 68 automatic programmes
- Residual heat indicator
- Plate warming
- Keep warm
- Fast heat
- Oxylytic side, roof and back panel liners
- Oxylytic cleaning programme
- Large 58 litre oven capacity with 5 shelf positions
- Safety lock

#### 11 cooking functions:



- Low temperature cooking

#### Optional accessories:

New rail system with three fully extendible telescopic levels  
HEZ338305  
Deep pan HEZ333000



### Logixx single multifunction oven

**HBA58B950B brushed steel**

Same specifications as HBA58B650B but with 96mm fascia designed to sit side-by-side with Bosch Logixx compact appliances.

#### Optional accessories:

New rail system with three fully extendible telescopic levels  
HEZ338305  
Deep pan HEZ333000



### Logixx single multifunction oven

**HBA76B650B brushed steel**



- Electronic control
- New concept control panel with metal touch controls and electronic display
- U-shape door design with special glass on metal construction and all metal straight bar handle
- All metal pop-out control dial with illuminated band
- Designed to coordinate with other Bosch Logixx products within the range
- Automatic programmer
- Memory function
- Info button showing actual temperature display during heating-up
- Automatic temperature proposal
- 40 automatic programmes
- Residual heat indicator
- Keep warm
- Fast heat
- Pyrolytic self-cleaning function
- Large 56 litre oven capacity with 5 shelf positions
- Safety lock

#### 9 cooking functions:



#### Optional accessories:

New rail system with three fully extendible telescopic levels  
HEZ338305



### Logixx single multifunction oven

**HBA56B550B brushed steel**



**HBA56B560B premium black**



**HBA56B520B premium white**



- Electronic control
- New concept control panel with touch controls and electronic display (metal touch control on steel model)
- U-shape door design with special glass on metal construction (steel model only) and all metal straight bar handle
- All metal pop-out control dial with illuminated band
- Designed to coordinate with other Bosch Logixx products within the range
- Automatic programmer
- Memory function
- Info button showing actual temperature display during heating-up
- Automatic temperature proposal
- 40 automatic programmes
- Residual heat indicator
- Keep warm
- Fast heat
- Oxylytic side, roof and back panel liners
- Oxylytic cleaning programme
- Large 58 litre oven capacity with 5 shelf positions
- Safety lock

#### 9 cooking functions:



#### Optional accessories:

New rail system with three fully extendible telescopic levels  
HEZ338305  
Deep pan HEZ333000



### Exxcel single multifunction oven

**HBA53B550B brushed steel**  
**HBA53B560B premium black**  
**HBA53B520B premium white**



- Control panel with pop-out rotary dials and touch controls
- U-shape door design with special glass on metal construction (steel model only) and all metal straight bar handle
- Designed to coordinate with other Bosch Exxcel products in the range
- Fully automatic programmer
- Fast heat
- Catalytic side, roof and back panel liners
- Large 58 litre oven capacity with 5 shelf positions
- Safety lock

#### 8 cooking functions:



#### Optional accessories:

New rail system with three fully extendable telescopic levels  
 HEZ338305  
 Deep pan HEZ333000



### Exxcel single multifunction oven

**HBA73B550B brushed steel**



- Control panel with pop-out rotary dials and touch controls
- U-shape door design with special glass on metal construction and all metal straight bar handle
- Designed to coordinate with other Bosch Exxcel products in the range
- Fully automatic programmer
- Fast heat
- Pyrolytic self-cleaning function
- Large 56 litre oven capacity with 5 shelf positions
- Safety lock

#### 8 cooking functions:



#### Optional accessories:

New rail system with three fully extendable telescopic levels  
 HEZ338305

## Pyrolytic self-cleaning function.

**The ultimate in self-cleaning power and convenience.** In a Pyrolytic self-cleaning cycle, the oven is heated to around 480°C. At that temperature any deposits are quickly reduced to a thin layer of ash, which can then be simply wiped away with a damp cloth to leave a completely clean oven. No need for detergents or back strain – nothing could be easier. Pyrolytic cleaning is available on selected Logixx, Exxcel and Classixx models: HBA76B650B, HBA73B550B, HBA63A250B, HBA63A260B.







### Classixx single multifunction oven

**HBA63A250B brushed steel**

**HBA63A260B black**



- Electronic control
- Control panel with pop-out rotary dials and touch controls
- Side-strip door design with straight bar handle
- Fully automatic programmer
- Fast heat
- Pyrolytic self-cleaning function
- Large 60 litre oven capacity with 5 shelf positions
- Safety lock

#### 5 cooking functions:



### Classixx single multifunction oven

**HBB43D250B brushed steel**



- Control panel with pop-out rotary dials and touch controls
- Side-strip door design with straight bar handle
- Fully automatic programmer
- Fast heat
- Pull-out carriage door design
- Catalytic side, roof and back panel liners
- Extra large 65 litre oven capacity with 5 shelf positions
- Safety lock

#### 5 cooking functions:



#### Pull-out carriage door design

Ideally suited for built-under installation, you no longer have to bend down to see or access the contents of the oven.



### Classixx single multifunction oven

**HBL43B250B brushed steel**



- Control panel with pop-out rotary dials and touch controls
- Side-strip door design with straight bar handle
- Fully automatic programmer
- Fast heat
- Side-opening door design (left hinged)
- Catalytic side, roof and back panel liners
- Large 58 litre oven capacity with 5 shelf positions
- Safety lock

#### 5 cooking functions:



#### Optional accessories:

New rail system with three fully extendible telescopic levels  
HEZ338305  
Deep pan HEZ333000



### Classixx single multifunction oven

**HBR43B250B brushed steel**



Same specifications as HBL43B250B except right hinged.



### Classixx single multifunction oven

**HBA43B250B brushed steel**

**HBA43B260B black**



- Control panel with pop-out rotary dials and touch controls
- Side-strip door design with straight bar handle
- Fully automatic programmer
- Fast heat
- Catalytic side, roof and back panel liners
- Large 58 litre oven capacity with 5 shelf positions
- Safety lock

#### 5 cooking functions:



#### Optional accessories:

New rail system with three fully extendable telescopic levels

HEZ338305

Deep pan HEZ333000



### Classixx single hot-air oven

**HBB13D250B brushed steel**



- Control panel with pop-out rotary dials and touch controls
- Side-strip door design with straight bar handle
- Fully automatic programmer
- Fast heat
- Pull-out carriage door design
- Catalytic roof and back panel liners
- Extra large 65 litre oven capacity with 5 shelf positions
- Safety lock

#### 4 cooking functions:



#### Pull-out carriage door design

Ideally suited for built-under installation, you no longer have to bend down to see or access the contents of the oven.



#### Classixx single hot-air oven

**HBA13B251B brushed steel**

**HBA13B261B black**

**HBA13B221B white**



- Control panel with pop-out rotary dials and touch controls
- Side-strip door design with straight bar handle
- Fully automatic programmer
- Catalytic roof and back panel liners
- Large 58 litre oven capacity with 5 shelf positions
- Safety lock

#### 4 cooking functions:



#### Optional accessories:

New rail system with three fully extendible telescopic levels  
HEZ338305  
Deep pan HEZ333000



#### Classixx single hot-air oven

**HBA13B250B brushed steel**



- Control panel with rotary dials and touch controls
- Side-strip door design with straight bar handle
- 53 litre oven capacity with 5 shelf positions
- Safety lock

#### 4 cooking functions:





## Single multifunction oven

HBN531E0B brushed steel



- LED clock and push button controls
- Horizontal-strip door design with straight bar handle
- Fixed control dials
- Fully automatic programmer
- Catalytic roof and back panel liners
- 52 litre oven capacity with 4 shelf positions
- Safety lock

## 5 cooking functions:



## Single hot-air oven

HBN331E0B brushed steel



HBN331S0B black



HBN331W0B white



- LED clock and push button controls
- Horizontal-strip door design with straight bar handle
- Fixed control dials
- Fully automatic programmer
- 52 litre oven capacity with 4 shelf positions
- Safety lock

## 4 cooking functions:





# Double ovens.

**Welcome to the new range of Bosch double ovens.** Whether you are looking for a built-in or built-under model, multi-function or hot-air, electronic or manual we have the solution...







### Logixx built-in double multifunction oven

**HBM56B550B brushed steel**



- Electronic main oven control
- New concept control panel with metal touch controls and electronic display
- U-shape door design with special glass on metal construction and all metal straight bar handle
- All metal pop-out control dials with illuminated band around the central control
- Designed to coordinate with other Bosch Logixx products within the range
- Fully automatic main oven programmer
- Info button for main oven showing actual temperature display during heating-up
- Automatic main oven temperature proposal
- Oxylytic side, roof and back panel liners in both ovens
- Oxylytic cleaning programmes

#### Main lower oven – 8 cooking functions:



- 58 litre oven capacity with 5 shelf positions
- Safety lock
- Fast heat
- Residual heat indicator
- Keep warm
- 40 automatic programmes

#### Top oven – 4 cooking functions:



- 30 litre oven capacity with 2 shelf positions



### Exxcel built-in double multifunction oven

**HBM53B550B brushed steel**



- Control panel with pop-out rotary dials and touch controls
- U-shape door design with special glass on metal construction and all metal straight bar handle
- Fully automatic main oven programmer
- Catalytic side, roof and back panel liners on both ovens
- Designed to coordinate with other Bosch Exxcel products in the range

#### Main lower oven – 8 cooking functions:



- 58 litre oven capacity with 5 shelf positions
- Safety lock
- Fast heat

#### Top oven – 3 cooking functions:



- 30 litre oven capacity with 2 shelf positions



### Classixx built-in double multifunction oven

**HBM43B250B brushed steel**  
**HBM43B260B black**



- Control panel with pop-out rotary dials and touch controls
- Side-strip door design with straight bar handle
- Fully automatic main oven programmer
- Catalytic side, roof and back panel liners on both ovens

#### Main lower oven – 5 cooking functions:



- 58 litre oven capacity with 5 shelf positions
- Safety lock
- Fast heat

#### Top oven – 3 cooking functions:



- 30 litre oven capacity with 2 shelf positions



### Classixx built-in double hot-air oven

**HBM13B251B brushed steel**  
**HBM13B261B black**  
**HBM13B221B white**



- Control panel with pop-out rotary dials and touch controls
- Side-strip door design with straight bar handle
- Fully automatic main oven programmer

#### Main lower oven – 2 cooking functions:



- 58 litre oven capacity with 5 shelf positions
- Catalytic back panel liner
- Safety lock

#### Top oven – 2 cooking functions:



- 30 litre oven capacity with 2 shelf positions
- Catalytic roof and back panel liners



#### Built-in double hot-air oven

**HBM13B150B brushed steel**



**HBM13B160B black**



**HBM13B120B white**



- Control panel with fixed control dials and touch controls
- Horizontal-strip door design with straight bar handles
- Fully automatic main oven programmer

#### Main lower oven – 2 cooking functions:



- 58 litre oven capacity with 5 shelf positions
- Safety lock

#### Top oven – 2 cooking functions:



- 30 litre oven capacity with 2 shelf positions



### Exxcel built-under double multifunction oven

**HBN53B550B brushed steel**



- Control panel with pop-out rotary dials and touch controls
- U-shape door design with special glass on metal construction and all metal straight bar handle
- Fully automatic main oven programmer
- Catalytic side, roof and back panel liners on both ovens

#### Main lower oven – 8 cooking functions:



- 45 litre oven capacity with 3 shelf positions
- Safety lock
- Fast heat

#### Top oven – 3 cooking functions:



- 30 litre oven capacity with 2 shelf positions



### Classixx built-under double multifunction oven

**HBN43B250B brushed steel**  
**HBN43B260B black**



- Control panel with pop-out rotary dials and touch controls
- Side-strip door design with straight bar handle
- Fully automatic main oven programmer
- Catalytic side, roof and back panel liners on both ovens

#### Main lower oven – 5 cooking functions:



- 45 litre oven capacity with 3 shelf positions
- Safety lock
- Fast heat

#### Top oven – 3 cooking functions:



- 30 litre oven capacity with 2 shelf positions



### Classixx built-under double hot-air oven

**HBN13B251B brushed steel**  
**HBN13B261B black**  
**HBN13B221B white**



- Control panel with pop-out rotary dials and touch controls
- Side-strip door design with straight bar handle
- Fully automatic main oven programmer

#### Main lower oven – 2 cooking functions:



- 45 litre oven capacity with 3 shelf positions
- Catalytic back panel liner
- Safety lock

#### Top oven – 2 cooking functions:



- 30 litre oven capacity with 2 shelf positions
- Catalytic roof and back panel liners



## Range cookers.

Our beautiful state-of-the-art range cookers will provide a focal point for any kitchen, whether slot in or stand-alone.



### Multifunction double range cooker

**HSB745A55E brushed steel**



- Double electric oven, 83 litre total capacity, with 5 burner gas hob
- LED clock and automatic timer
- U-shape door design with angular bar handle
- Fixed controls
- Integral cooling fans
- Triple glazed drop down doors
- Storage compartment

#### 5 burner gas hob

- 1 high speed wok burner
- 1 high speed burner
- 2 standard burners
- 1 economy burner
- 3 piece cast iron pan supports
- Flame failure safety device
- LPG jets included

#### Main oven – 7 cooking functions:



- 52 litre capacity
- 5 shelf positions
- Interior light

#### Secondary oven – 4 cooking functions:



- 31 litre capacity
- 5 shelf positions
- Interior light

#### Standard accessories:

- Full width enamelled baking tray in each oven
- Small pan trivet support

#### Optional accessories:

Brushed steel back panel HEZ745100



### Multifunction range cooker

**HSB745055E brushed steel**



- Extra large cavity 81 litre electric oven with 5 burner gas hob
- LED clock and automatic timer
- U-shape door design with angular bar handle
- Fixed controls
- Integral cooling fan
- Triple glazed drop down door
- Storage compartment
- Interior light

#### 5 burner gas hob

- 1 high speed wok burner
- 1 high speed burner
- 2 standard burners
- 1 economy burner
- 3 piece cast iron pan supports
- Flame failure safety device
- LPG jets included

#### Oven – 7 cooking functions:



#### Standard accessories:

- Full width enamelled baking tray
- Small pan trivet support

#### Optional accessories:

Brushed steel back panel HEZ745090





 **BOSCH**



# Compact appliances.

## Logixx

Premium models with exceptional cutting-edge features and extras. Matching twin display windows, illuminated pop-out controls and metal touch control panels mean that you can mix and match our Logixx compact appliances with either a Bosch Logixx single or double oven for a completely coordinated look.\* They all feature electronic controls and operating functions are also harmonised to make your life simpler.



## Exxcel

Mid-range models with a broad range of extra features and benefits. Once again the signature design style and operating features of our compact appliances perfectly complement our range of Exxcel ovens. The new U-form door with metal-on-glass door construction, metal-capped pop-out controls, touch controls and large LED displays will bring style and elegance to any kitchen.



\*For side by side installations with single ovens, use only HBA58B590B single oven

# Steam ovens.



**Steam cooking** is accepted as the most gentle and healthy heating method available.

## Better for you

Steaming helps to retain the vitamins and minerals in foods, which dissolve when immersed in water. In fact, compared with boiling, steam cooking retains almost 50% more of the vitamin and mineral content.

## Better-looking and tastier food

The gentle heat action of steaming not only preserves the flavour, colour and aroma of the food but also maintains the form and texture. As the food retains its natural juices and does not dry out.

## Large 1.3 litre water tank

Direct connection to a water pipe is not necessary as our ovens feature a removable water tank, which is simple and easy to refill.



## Logixx steam combination oven

**HBC36D753B brushed steel**



- New concept control panel with metal touch controls and clear text digital display
- Control panel 96mm – allows for perfect vertical coordination with other Bosch Logixx compact appliances and full size Bosch Logixx ovens and horizontal coordination with other Bosch Logixx compact appliances and Bosch Logixx oven HBA58B590B
- U-shape door design with special glass on metal construction and all metal straight bar handle
- All metal pop-out control dial with illuminated band
- Digital display with; clear text for auto programmes, actual temperature, automatic temperature proposal, function symbols, heating-up indicator, clock and timer
- Internal steam generator
- Steam cooking range 35–100°C
- Hot air cooking range 30–230°C
- 70 automatic programmes
- Memory function
- Residual heat indicator
- Plate warming
- Keep warm
- Cleaning and descaling programmes
- 32 litre oven capacity with 4 shelf positions
- Safety lock
- 1.3 litre water tank

## 7 cooking functions:



- Dough proving
- Low temperature cooking
- Reheating

## Optional accessories:

Decor strips HEZ860050



### Logixx steamer

**HBC26D553B brushed steel**



- New concept control panel with metal touch controls and clear text digital display
- Control panel 96mm – allows for perfect vertical coordination with other Bosch Logixx compact appliances and full size Bosch Logixx ovens and horizontal coordination with other Bosch Logixx compact appliances and Bosch Logixx oven HBA58B590B
- U-shape door design with special glass on metal construction and all metal straight bar handle
- All metal pop-out control dial with illuminated band
- Digital display with; clear text for auto programmes, actual temperature, automatic temperature proposal, function symbols, heating-up indicator, clock and timer
- Internal steam generator
- Steam cooking range 35–100°C
- 40 automatic programmes
- Memory function
- Residual heat indicator
- Cleaning and descaling programmes
- 35 litre oven capacity with 4 shelf positions
- Safety lock
- 1.3 litre water tank

#### 4 cooking functions:



- Dough proving
- Reheating

#### Optional accessories:

Decor strips HEZ860050



### Exxcel steamer

**HBC24D553B brushed steel**



- LED control panel with touch controls
- Control panel 96mm – allows for perfect vertical coordination with other Bosch Exxcel compact appliances and full size Bosch Exxcel ovens and horizontal coordination with other Bosch Exxcel compact appliances
- U-shape door design with special glass on metal construction and all metal straight bar handle
- Pop-out control
- Digital clock and timer
- Internal steam generator
- Steam cooking range 35–100°C
- 20 automatic programmes
- Descaling programme
- 35 litre oven capacity with 4 shelf positions
- Safety lock
- 1.3 litre water tank

#### 2 cooking functions:



- Dough proving
- Reheating

#### Optional accessories:

Decor strips HEZ860050

# Compact ovens and microwaves features and benefits.



## Performance



### EU Energy Label

To help you choose the most energy efficient appliances, the EU has introduced an energy-rating scheme, selected compact appliances are required to display an EU Energy Label. The most efficient rating is 'A' and the least efficient is 'G', all relevant Bosch compact appliances have been awarded an A rating.

## Design

### Metal behind glass

The new generation of Bosch compact ovens bring style and elegance to the kitchen. The new concept U-form door has a horizontal section of steel behind the outer glass for a unique chic look.

### Sleek new lines

Our new compact ovens combine the highest quality stainless steel and glass for a sleek and resistant finish. The ergonomically designed all-steel straight bar handle integrates perfectly with the door. And, coordinating control panels and horizontal lines allow you to mix and match vertically with different products and horizontally with compact models and HBA58B950B for a completely coordinated look.

### Control panel

Fully programmable, the new control panels are intuitive and simple to use. Selected models also feature clear text on the display screen.

### Pop-out controls

They not only make the oven easy to operate, but also maintain a clean line when the oven is not in use, making the oven control panel easy to clean. Our top of the range Logixx models also have an illuminated red band.

### Metal touch controls

Our state-of-the-art compact ovens now feature the latest in touch control technology with metal touch controls, which only require the lightest touch to activate them.



## Convenience



### Pyrolytic self-cleaning system

The ultimate in self-cleaning power and convenience. During the pyrolytic self-cleaning cycle, the oven is heated to around 480°C, at this temperature any deposits are quickly reduced to a thin layer of ash, which can then be simply wiped away with a damp cloth to leave a completely clean oven.



### Automatic weight programmes

Simply select the appropriate programme, enter the weight and press start. The automatic programme then takes over to cook your dish to perfection.

### Memory function

Store your favourite recipe instructions e.g. heating mode + temperature + cooking duration then simply press the memory button to repeat the sequence at any time.

### 3-stage programming

Allows you to programme the microwave to automatically run up to three power levels and cooking times consecutively.

## Safety

### Safer touch doors

Bosch compact oven doors are either double or triple-glazed depending on the model, ensuring that the temperature of the door is always well within safety standards.



### Safety lock

Simply press the lock key for 4 seconds to disable all functions.

## Optional accessories

### Decor strips

Designed for the facing edge of furniture shelves positioned between separate compact appliances, microwaves and warming drawers.

HEZ860050 brushed steel

HEZ860060 black

Size H22mm x W594mm



### Logixx compact oven with integrated microwave

**HBC86P753B brushed steel**



- New concept control panel with metal touch controls and clear text digital display
- Control panel 96mm – allows for perfect vertical coordination with other Bosch Logixx compact appliances and full size Bosch Logixx ovens and horizontal coordination with other Bosch Logixx compact appliances and Bosch Logixx oven HBA58B590B
- U-shape door design with special glass on metal construction and all metal straight bar handle
- All metal pop-out control dial with illuminated band
- Digital display with; clear text for auto programmes, actual temperature, automatic temperature proposal, function symbols, heating-up indicator, clock and timer
- 12 automatic cooking programmes
- 14 automatic defrost programmes
- 44 automatic combination programmes
- Microwave available independently or in combination with other cooking functions
- Maximum microwave power level: 1000 watts
- Memory function
- Residual heat indicator
- Plate warming
- Keep warm
- Fast heat
- Pyrolytic self-cleaning function
- 42 litre oven capacity with 3 shelf positions
- Safety lock

#### 10 cooking functions:



- Low temperature cooking

#### Optional accessories:

Brushed steel decor strip HEZ860050

### Logixx compact oven with integrated microwave

**HBC86K753B brushed steel**



**HBC86K763B premium black**



**HBC86K723B premium white**



- New concept control panel with metal touch controls and clear text digital display
- Control panel 96mm – allows for perfect vertical coordination with other Bosch Logixx compact appliances and full size Bosch Logixx ovens and horizontal coordination with other Bosch Logixx compact appliances and Bosch Logixx oven HBA58B590B
- U-shape door design with special glass on metal construction and all metal straight bar handle
- All metal pop-out control dial with illuminated band
- Digital display with; clear text for auto programmes, actual temperature, automatic temperature proposal, function symbols, heating-up indicator, clock and timer
- 12 automatic cooking programmes
- 14 automatic defrost programmes
- 44 automatic combination programmes
- Microwave available independently or in combination with other cooking functions
- Maximum microwave power level: 900 watts
- Memory function
- Residual heat indicator
- Plate warming
- Keep warm
- Fast heat
- Oxylytic roof liner and rear wall
- 42 litre oven capacity with 3 shelf positions
- Safety lock

#### 10 cooking functions:



- Low temperature cooking

#### Optional accessories:

Brushed steel decor strip HEZ860050

Black decor strip HEZ860060



### Exxcel compact microwave combination oven

**HBC84E653B brushed steel** ●  
**HBC84E663B\* premium black** ●  
**HBC84E623B\* premium white** ○



- For installation in tall housing or in base unit under work surface
- LED control panel with touch controls
- Control panel 96mm – allows for perfect vertical coordination with other Bosch Exxcel compact appliances and full size Bosch ovens and horizontal coordination with other Exxcel compact appliances
- U-shape door design with special glass on metal construction and all metal straight bar handle
- Pop-out controls
- Digital clock and timer
- 4 automatic defrost programmes
- 11 automatic combination programmes
- Microwave available independently or in combination with other cooking functions
- Maximum microwave power level: 1000 watts
- Fast heat
- Catalytic back panel liner
- 36 litre oven capacity with 4 shelf positions
- Safety lock

#### 5 cooking functions:



\*Available Autumn 2009

#### Optional accessories:

Brushed steel decor strip HEZ860050  
 Black decor strip HEZ860060



### Exxcel compact microwave

**HMT35M653B brushed steel** ●



- For installation in tall housing or in base unit under work surface
- LED control panel with touch controls
- Control panel 96mm – allows for perfect vertical coordination with other Bosch Exxcel compact appliances and full size Bosch ovens and horizontal coordination with other Exxcel compact appliances
- U-shape door design with special glass on metal construction and all metal straight bar handle
- Pop-out control
- Automatic programmer and timer
- 5 weight automatic cooking programmes
- 4 weight automatic defrost programmes
- 3 stage programming
- 2 recipe memory setting
- Maximum microwave power level: 1000 watts
- 36 litre capacity

#### Optional accessories:

Brushed steel decor strip HEZ860050



### Exxcel compact microwave oven with grill

**HMT85GL53B brushed steel**



- For installation into a 60cm wide wall unit
- LED control panel with touch controls
- Pop-out control
- Automatic programmer and timer
- Grill available independently or in combination with microwave
- 4 weight automatic cooking programmes
- 3 weight automatic defrost programmes
- 3 weight automatic combination programmes
- 3 stage programming
- 2 recipe memory setting
- Maximum microwave power level: 900 watts
- 21 litre capacity

### Exxcel compact microwave oven

**HMT85ML53B brushed steel**



**HMT85ML63B premium black**



- For installation into a 60cm wide wall unit
- LED control panel with touch controls
- Pop-out control
- Automatic programmer and timer
- 4 weight automatic cooking programmes
- 3 weight automatic defrost programmes
- 3 stage programming
- 2 recipe memory setting
- Maximum microwave power level: 900 watts
- 21 litre capacity





### Compact microwave with grill

**HMT84G651B brushed steel**



- For installation in tall housing
- Ventless trim kit comes as standard
- LED display for microwave power level, cooking duration and 24 hour clock
- Pop-out control
- Automatic programmer and timer
- Grill available independently or in combination with microwave
- 3 weight automatic cooking programmes
- 4 weight automatic defrost programmes
- 1 weight automatic combination programme
- 1 recipe memory setting
- Maximum microwave power level: 900 watts
- 25 litre capacity

### Compact microwave

**HMT84M651B brushed steel**



**HMT84M661B black**



**HMT84M621B white**



- For installation in tall housing
- Ventless trim kit comes as standard
- LED display for microwave power level, cooking duration and 24 hour clock
- Pop-out control
- Automatic programmer and timer
- 3 weight automatic cooking programmes
- 4 weight automatic defrost programmes
- 1 recipe memory setting
- Maximum microwave power level: 900 watts
- 25 litre capacity



### Compact microwave with grill

**HMT75G651B brushed steel**



- For installation in a 60cm wide wall unit
- Ventless trim kit comes as standard
- LED display for microwave power level, cooking duration and 24 hour clock
- Pop-out control
- Automatic programmer and timer
- Grill available independently or in combination with microwave
- 3 weight automatic cooking programmes
- 4 weight automatic defrost programmes
- 1 weight automatic combination programme
- 1 recipe memory setting
- Maximum microwave power level: 800 watts
- 17 litre capacity



### Compact microwave

**HMT75M651B brushed steel**

**HMT75M661B black**

**HMT75M621B white**



- For installation in a 60cm wide wall unit
- Ventless trim kit comes as standard
- LED display for microwave power level, cooking duration and 24 hour clock
- Pop-out control
- Automatic programmer and timer
- 3 weight automatic cooking programmes
- 4 weight automatic defrost programmes
- 1 recipe memory setting
- Maximum microwave power level: 800 watts
- 17 litre capacity

### Compact microwave

**HMT75M551B brushed steel**



- For installation into a 50cm wide wall unit or installation in tall housing unit
- Ventless trim kit comes as standard
- LED display for microwave power level, cooking duration and 24 hour clock
- Pop-out control
- Automatic programmer and timer
- 3 weight automatic cooking programmes
- 4 weight automatic defrost programmes
- 1 recipe memory setting
- Maximum microwave power level: 800 watts
- 17 litre capacity



# Coffee maker.



## SensoFlow heating system

Provides fast water heating and precise temperature control for improved taste and energy efficiency.

## Aroma pressure system

Ensures optimum compression and extraction of ground coffee for a perfect tasting cup of coffee.

## Fully automatic rinse programme

Each cup of coffee is freshly brewed every time. Pipes are automatically rinsed after use and any residual water is pumped away. Fresh water guarantees fresh coffee flavour and aroma every time.

## Cream centre

An external insulated milk container supplies milk into the cream centre only when it is needed, so that the milk keeps fresher for longer. Giving you perfect milk froth and making it easier to clean.

## One touch function for milk drinks

Allows you to store the settings for your favourite milk drink e.g. cappuccino, latte, white coffee so that you only have to press one button for your regular drink.



## Logixx compact coffee maker

### TCC78K750B brushed steel



- New concept control panel with metal touch controls and clear text digital display
- Control panel 96mm – allows for perfect vertical coordination with other Bosch Logixx compact appliances and full size Bosch Logixx ovens and horizontal coordination with other Bosch Logixx compact appliances and Bosch Logixx oven HBA58B590B
- All metal pop-out control dial with illuminated band
- Fully programmable functions; grinding grade, drink type, cup size, strength, temperature
- SensoFlow system
- Aroma pressure system for optimum flavour extraction
- Ceramic coffee grinders – extremely durable and quiet
- 4 grinding grades
- Brita water filter
- Cream centre
- One touch function for milk drinks
- Frothing nozzle for cappuccino
- Steam and hot water function
- Fully automatic rinse programme
- Container empty / filter / cleaning / descaling warning indicators
- Automatic cleaning and descaling programmes
- Height adjustable dispenser
- 1000g coffee bean container
- Ground coffee container
- 0.7 litre removable milk container
- 2.5 litre removable water tank

## Optional accessories:

Brushed steel decor strip HEZ860050

# Warming drawers.



## Plate warming

Food stays warm for longer if served up in preheated ovenware. Bosch warming drawers allow you to preheat porcelain ovenware to between 30°C to 65°C.

## Keep warm

Not only can you heat-up your crockery with a Bosch warming drawer but you can also keep food hot for up to an hour.

## Defrost

Perfect for gently defrosting meat, poultry, bread, cream cakes and much more. Also ideal for defrosting nonsensitive foods.

## Dough proving

The gentle heat of the warming drawer is the perfect environment for proving dough.



## Warming drawer

**HSC290652B brushed steel**



- 29cm high warming drawer
- Designed to be installed independently, below a single oven or in combination with a 45cm high compact appliance
- All metal straight bar handle
- Can accommodate up to:
  - 40 plates
  - 120 espresso cups
- 25kg max capacity
- Easy to clean toughened glass heating plate

## 4 functions:



- Dough proving



Warming drawer

**HSC140652B brushed steel**



- 14cm high warming drawer
- Designed to be installed independently, below a single oven or in combination with a 45cm high compact appliance
- All metal straight bar handle
- Can accommodate up to:
  - 12 plates
  - 80 espresso cups
- 25kg max capacity
- Easy to clean toughened glass heating plate

4 functions:



- Dough proving



Warming drawer

**HSC140P51B brushed steel**



**HSC140P61B black**



**HSC140P21B white**



- 14cm high warming drawer
- Designed to be installed independently, below a single oven or in combination with a 45cm high compact appliance
- Push-pull opening mechanism
- Can accommodate up to:
  - 12 plates
  - 80 espresso cups
- 25kg max capacity

4 functions:



- Dough proving



Storage drawer

**HSC140A51 brushed steel**



- 14cm high storage drawer
- Designed to be installed independently, below a single oven or in combination with a 45cm high compact appliance
- Push-pull opening mechanism
- 15kg max capacity



# Gas hobs.

## Logixx

Premium models with exceptional cutting-edge features and extras. Finished with a brushed steel trim they can be built-in independently or coordinated with other Logixx hobs such as a Domino induction hob. These stunning gas on glass models also feature one-piece low profile burners.



## Exxcel

Mid-range models with a broad range of extra features and benefits. Tempered glass or steel base, several models also offer a dedicated wok burner for high intensity cooking up to 5.0kW. As an added safety feature the 'Quick stop' main switch acts as both the safety lock and quick stop.



## Classixx

Simple practical models offering Bosch build quality and value for money. Excellent four and five-burner hobs including features such as electronic ignition, wok-style burners up to 4.0kW and flame failure device. Choice of tempered glass, steel or enamel base with cast iron pan supports.





# Gas hobs features and benefits.



## Design



### Slim metal profile

Finished in black ceramic glass with a brushed steel trim, Bosch Logixx gas hobs can be built-in independently or coordinated with other Logixx hobs such as a Domino hob. The slim metal profile can be combined profile-to-profile without visible links.

### New control dials

Dials match the design of our new range of ovens so that you can perfectly coordinate your kitchen.

### Cast iron supports

Cast iron pan supports are both stylish and highly durable, providing solid and robust support for your cooking pans whilst adding a strong contemporary look to your kitchen.

## Performance

### High-power wok-style burner

Selected gas hob models feature a powerful wok-style burner, which provides an intense heat to the pan up to 6.0kW.

### Flexible burners

All our gas hobs feature different burner combinations for greater flexibility. With high speed, normal and economy burners you can cook more efficiently with the correct sized burner for the size of pan.

## Convenience

### One hand ignition

Push and turn the ergonomically designed control knobs and the gas ignites automatically. As well as offering the convenience of only using one hand there is also no separate ignition button to clean.

## Safety

### Quick stop main switch

For added safety some of our gas hobs feature a main switch, which acts as both a safety lock and quick stop. By cutting off the gas supply to the burners the hob cannot be inadvertently activated. It also allows all four burners to be turned off quickly should the phone ring, for example.

### Flame failure device

If the burner is accidentally extinguished the thermostat reacts and shuts off the gas supply to the burner.





### Logixx 4 burner gas hob with hard glass base

**PRP626M90E brushed steel trim**



- Ceramic glass base with brushed steel trim
- Four gas burners:
  - 1 high speed burner – 2.8kW
  - 2 standard burners – 1.9kW
  - 1 economy burner – 1.1kW
- Flame failure safety device
- Easy to use front mounted brushed steel controls
- Ignition via control knobs
- Cast iron pan supports
- Quick stop main switch
- Low profile single piece burners
- Factory set for connection to mains gas
- LPG jets included
- Connection to 28-30/37 mbar bottled gas
- Can be installed with a Bosch domino hob (see page 71)



### Exxcel 5 burner gas hob with wok style central burner

**PPQ726M90E premium black with  
brushed steel front trim**



- Tempered black hard glass base with brushed steel front trim
- 5 gas burners:
  - 1 high speed central wok burner – 3.6kW
  - 1 high speed burner – 3.0kW
  - 2 standard burners – 1.7kW
  - 1 economy burner – 1.0kW
- Flame failure safety device
- Easy to use front mounted controls with brushed steel caps
- Ignition via control knobs
- Cast iron pan supports
- Quick stop main switch
- Factory set for connection to mains gas
- LPG jets included
- Connection to 28-30/37 mbar bottled gas



### Exxcel 4 burner gas hob with hard glass base

**PPP626M90E premium black**



**PPP622M90E premium white**



- Tempered hard glass base with brushed steel trim
- 4 gas burners:
  - 1 high speed burner – 3.0kW
  - 2 standard burners – 1.7kW
  - 1 economy burner – 1.0kW
- Flame failure safety device
- Easy to use front mounted brushed steel controls
- Ignition via control knobs
- Cast iron pan supports
- Quick stop main switch
- Factory set for connection to mains gas
- LPG jets included
- Connection to 28-30/37 mbar bottled gas



### Exxcel 5 burner gas hob with wok style central burner

**PCR715M90E brushed steel**



- Five gas burners:
  - 1 high speed dual control wok burner – 5.0kW
  - 1 high speed burner – 3.0kW
  - 2 standard burners – 1.7kW
  - 1 economy burner – 1.0kW
- Flame failure safety device
- Easy to use front mounted brushed steel controls
- Ignition via control knobs
- Cast iron pan supports
- Quick stop main switch
- Two piece burners
- Factory set for connection to mains gas
- LPG jets included
- Connection to 28-30/37 mbar bottled gas



### Exxcel 4 burner gas hob with wok style burner

**PCH615M90E brushed steel**



- Four gas burners:
  - 1 high speed burner – 3.3kW
  - 1 high speed burner – 3.0kW
  - 1 standard burner – 1.7kW
  - 1 economy burner – 1.0kW
- Flame failure safety device
- Easy to use front mounted brushed steel controls
- Ignition via control knobs
- Cast iron pan supports
- Quick stop main switch
- Two piece burners
- Factory set for connection to mains gas
- LPG jets included
- Connection to 28-30/37 mbar bottled gas



### Classixx 5 burner gas hob with wok style central burner

**PPQ716B90E frameless**



- Tempered black hard glass base
- 5 gas burners:
  - 1 high speed central wok burner – 3.6kW
  - 1 high speed burner – 3.0kW
  - 2 standard burners – 1.7kW
  - 1 economy burner – 1.0kW
- Flame failure safety device
- Easy to use front mounted controls
- Ignition via control knobs
- Cast iron pan supports
- Factory set for connection to mains gas
- LPG jets included
- Connection to 28-30/37 mbar bottled gas



**Classixx 4 burner gas hob with hard glass base**

**PPP616B90E frameless**



- Tempered black hard glass base
- 4 gas burners:
  - 1 high speed burner – 3.0kW
  - 2 standard burners – 1.7kW
  - 1 economy burner – 1.0kW
- Flame failure safety device
- Easy to use front mounted controls
- Ignition via control knobs
- Cast iron pan supports
- Factory set for connection to mains gas
- LPG jets included
- Connection to 28-30/37 mbar bottled gas



**Classixx 5 burner gas hob with wok style central burner**

**PCR915B90E brushed steel**



- Five gas burners:
  - 1 high speed wok burner – 4.5kW
  - 1 high speed burner – 3.2kW
  - 2 standard burners – 1.75kW
  - 1 economy burner – 1.0kW
- Flame failure safety device
- Easy to use front mounted controls
- Ignition via control knobs
- Cast iron pan supports
- Factory set for connection to mains gas
- LPG jets included
- Connection to 28-30/37 mbar bottled gas



### Classixx 5 burner gas hob with wok style central burner

**PCQ715B90E brushed steel**



- Five gas burners:
  - 1 high speed wok burner – 4.0kW
  - 1 high speed burner – 3.0kW
  - 2 standard burners – 1.7kW
  - 1 economy burner – 1.0kW
- Flame failure safety device
- Easy to use front mounted brushed steel controls
- Ignition via control knobs
- Cast iron pan supports
- Two piece burners
- Factory set for connection to mains gas
- LPG jets included
- Connection to 28-30/37 mbar bottled gas



### Classixx 4 burner gas hob

**PCP615B90B brushed steel**

**PCP616B90E black**

**PCP612B90E white**



- Four gas burners:
  - 1 high speed burner – 3.0kW
  - 2 standard burners – 1.7kW
  - 1 economy burner – 1.0kW
- Flame failure safety device
- Easy to use front mounted controls
- Ignition via control knobs
- Cast iron pan supports
- Two piece burners
- Factory set for connection to mains gas
- LPG jets included
- Connection to 28-30/37 mbar bottled gas




### Classixx 4 burner gas hob with wok style burner

**PCH615FEU brushed steel**



- 4 burner gas hob with wok style burner
- 4 gas burners:
  - 1 high speed wok burner – 3.6kW
  - 2 standard burners – 1.7kW
  - 1 economy burner – 1.0kW
- Flame failure safety device
- Easy to use side mounted controls
- Ignition via control knobs
- Cast iron pan supports
- Factory set for connection to mains gas
- LPG jets included
- Connection to 28-30/37 mbar bottled gas



### Classixx 4 burner gas hob

**PCD615FEU brushed steel**



**PCD616FEU black**



- 4 gas burners
  - 1 high speed burner – 3.0kW
  - 2 standard burners – 1.7kW
  - 1 economy burner – 1.0kW
- Flame failure safety device
- Easy to use side mounted controls
- Control knobs for each burner
- Ignition via control knobs
- Cast iron pan supports
- Factory set for connection to mains gas
- LPG jets included
- Connection to 28-30/37 mbar bottled gas

### Classixx 4 burner gas hob

**PCD625DEU brushed steel**




**PCD616DEU black**



**PCD612DEU white**



- 4 gas burners:
  - 1 high speed burner – 3.0kW
  - 2 standard burners – 1.7kW
  - 1 economy burner – 1.0kW
- Flame failure safety device
- Easy to use side mounted controls
- Ignition via control knobs
- Standard black enamelled pan supports
- Factory set for connection to mains gas
- LPG jets included
- Connection to 28-30/37 mbar bottled gas







5 burner gas hob with wok style central burner

**PHL106CEU frameless**

- Tempered black hard glass base
- 5 gas burners:
  - 1 high speed central wok burner – 3.6kW
  - 1 high speed burner – 3.0kW
  - 2 standard burners – 1.7kW
  - 1 economy burner – 1.0kW
- Easy to use front mounted controls
- Ignition via control knobs
- Standard black enamelled pan supports
- Factory set for connection to mains gas
- LPG jets included
- Connection to 28-30/37 mbar bottled gas



4 burner gas hob with hard glass base


**PHG106CEU frameless**

- Tempered black hard glass base
- 4 gas burners:
  - 1 high speed burner – 3.0kW
  - 2 standard burners – 1.7kW
  - 1 economy burner – 1.0kW
- Easy to use front mounted controls
- Ignition via control knobs
- Standard black enamelled pan supports
- Factory set for connection to mains gas
- LPG jets included
- Connection to 28-30/37 mbar bottled gas

4 burner gas hob

**PCD625CEU brushed steel****PCD616CEU black****PCD612CEU white**

- 4 gas burners:
  - 1 high speed burner – 3.0kW
  - 2 standard burners – 1.7kW
  - 1 economy burner – 1.0kW
- Easy to use side mounted controls
- Ignition via control knobs
- Standard black enamelled pan supports
- Factory set for connection to mains gas
- LPG jets included
- Connection to 28-30/37 mbar bottled gas





2.5 5.5

3

4

5

6

7

8




BOSCH

# Electric hobs.


## *Logixx*

Premium models with exceptional cutting-edge features and extras. The slim brushed steel profile allows them to be built-in independently or coordinated with other Logixx hobs, such as a Domino wok burner, without any visible joining strips. Advanced features include DirectSelect, Freeze function and timer.




## *Exxcel*

Mid-range induction models with a broad range of extra features and benefits. Induction cooking is now widely recognised as one of the quickest, safest and most efficient methods of cooking available.




## *Classixx*

Simple practical ceramic models offering Bosch build quality and value for money. Straight-forward and easy to use, with 17 cooking power levels to choose from and even such technically advanced features as touch controls and 2-stage residual heat indicators.



# Electric hobs features and benefits.



## Design



### Slim metal profile

Our Logixx ceramic and induction hobs can be built-in independently or coordinated with other Logixx hobs, such as Domino wok burner. The slim brushed steel profile can be combined profile-to-profile without visible links.

## Performance

### Ceramic hob

With their electronic touch controls and flexible cooking zones, our ceramic hobs combine great looks with smart function and design. The smooth ceramic glass hob surface is tough and durable as well as being practical and easy to clean.



### Induction hob

Induction technology is now widely recognised as one of the quickest, safest and most efficient methods of cooking available. It uses an electromagnetic field to instantly generate heat, giving you the control and responsiveness of gas, but with far more energy efficiency. Heat is only generated when the pan is placed on the hob – it stops as soon as the pan is removed – and while an induction hob cooks almost twice as quickly as a standard ceramic hob, and 40% quicker than gas, the ceramic glass of an induction hob does not get as hot as that of standard ceramic hobs, which makes for a safe and easy-to-clean cooking surface. The hob will only operate with pans with a ferrous (or magnetic) base.

### Boost function

Increases the power output of the selected cooking zone by approximately 50% by 'borrowing' power from another zone. Note that when boost is selected for a particular zone, the partner zone contributing the power cannot be used.

### Automatic pan recognition

The hob recognises the size of the pan and only heats up the base of the pan and not the whole zone, saving time and energy.

### Automatic boil start

The cooking zone may be set to operate at full power for a period of time before reverting back to a pre-set power level.

### Anti-overflow protection

If liquid accidentally overflows onto the control panel, the hob will automatically switch off allowing you the opportunity to clean up.

### Small utensil detection

If you leave a serving spoon on the induction zone when it is turned on, the hob will not recognise it as being suitable cookware. As an added safety mechanism, the hob will automatically switch off giving you peace of mind.



#### Keep warm function

The cooking zone may be set to operate at minimum power in order to keep food warm on the hob or even as a convenient way to melt butter or chocolate.

#### Energy saving

Induction hobs are far more energy efficient than any other hob. This is because around three quarters of all the energy consumed is used to heat the pan. As a comparison, gas cooking actually only uses about 50% of the energy consumed to heat the pan. The cooking zone also automatically detects the size of the pan base so that heat is only generated through the area in direct contact with the pan. Whilst giving you the flexibility to use smaller sized pans on larger zones this also results in greater energy efficiency – the smaller the pan, the lower the energy consumption.

#### Time saving

Being almost twice as fast as a standard ceramic hob and up to 40% faster than gas, the Bosch induction hob is ideal for those with busy lifestyles. With the added benefit of a boost setting, your chosen front or back cooking zone can be given an extra injection of power – ideal for high speed cooking.

### Convenience



#### DirectSelect

Simply selecting the required power level from those on offer (keys laid out on the hob) instead of having to press +/- keys repeatedly.

#### Freeze function

"Freezes" the control panel at its current settings to allow the surface to be wiped down (if something spills). Saves the user having to switch off the hob to clean it or risk disturbing the settings. Reverts back at the touch of the key or after approximately 20 seconds.

#### Dual zones

Available on selected hobs, this energy-saving feature allows you to select a smaller cook zone for small pans, and a larger zone for larger pans.

#### Extendable zone

The cooking zone can be extended giving you a much larger area to accommodate big saucepans, fish kettles and other special cooking dishes.



#### Timer

99-minute timer with acoustic tone, which automatically switches off the zone once the cooking time has come to an end.

### Safety



#### 2-stage residual heat display

Provides clear indication of when a zone is still hot after it has been turned off. There are two levels: 'H' – residual heat sufficient to finish off cooking or to keep items warm. 'h' – residual heat insufficient to cook, but zone is still hot enough for caution.



#### Safety lock

Featured as standard on all touch control models, it prevents the hob from being inadvertently operated.

#### Emergency stop

Allows you to switch all cook zones off at the touch of a single button – ideal if the doorbell rings.

#### Automatic safety shut off

If the hob is left unattended for an extended period of time, the safety shut off facility ensures the hob turns itself off.




### Logixx 4 zone ceramic induction hob

**PIE975N14E brushed steel trim**



- 4 induction zone hob with black ceramic glass base and brushed steel trim
- Electronic front touch controls
- Main on/off control
- Electronic power level display
- Boost setting for all zones
- Automatic pan recognition
- Timer with automatic shut off for all zones
- Anti overflow protection
- Small utensil detection
- 2 stage Hh residual heat indicator for each zone
- Variable 17-stage power settings for each zone
- DirectSelect function
- Freeze function
- Automatic safety switch-off
- Safety lock




### Logixx 4 zone ceramic induction hob

**PIL875N14E brushed steel trim**




- 4 induction zone hob with black ceramic glass base and brushed steel trim
- 28cm diameter zone
- Electronic front touch controls
- Main on/off control
- Electronic power level display
- Boost setting for all zones
- Automatic pan recognition
- Timer with automatic shut off for all zones
- Anti overflow protection
- Small utensil detection
- 2 stage Hh residual heat indicator for each zone
- Variable 17-stage power settings for each zone
- DirectSelect function
- Freeze function
- Automatic safety switch-off
- Safety lock
- Can be installed with a Bosch domino hob (see page 71)



### Logixx 4 zone ceramic induction hob

**PIE675N14E brushed steel trim**



### Exxcel 4 zone ceramic induction hob

**PIL845T14E brushed steel frame**




- 4 induction zone hob with black ceramic glass and brushed steel trim
- Electronic front touch controls
- Main on/off control
- Electronic power level display
- Boost setting for all zones
- Automatic pan recognition
- Timer with automatic shut off for all zones
- Anti overflow protection
- Small utensil detection
- 2 stage Hh residual heat indicator for each zone
- Variable 17-stage power settings for each zone
- DirectSelect function
- Freeze function
- Automatic safety switch-off
- Safety lock
- Can be installed with a Bosch domino hob (see page 71)



- 4 induction zone hob with black ceramic glass base and brushed steel frame
- 28cm diameter zone
- Electronic front touch controls
- Electronic power level display
- Boost setting for all zones
- Automatic pan recognition
- Timer with automatic shut off for all zones
- Anti-overflow protection
- Small utensil detection
- 2 stage Hh residual heat indicator for each zone
- Variable 17-stage power settings for each zone
- Automatic safety switch-off
- Safety lock






### Exxcel 4 zone ceramic induction hob

**PIE645T14E brushed steel frame**



- 4 induction zone hob with black ceramic glass base and brushed steel trim
- Electronic front touch controls
- Electronic power level display
- Boost setting for all zones
- Automatic pan recognition
- Timer with automatic shut off for all zones
- Anti-overflow protection
- Small utensil detection
- 2 stage Hh residual heat indicator for each zone
- Variable 17-stage power settings for each zone
- Automatic safety switch-off
- Safety lock




### Exxcel 4 zone ceramic induction hob

**PIE651T14E frameless with faceted edges**



- 4 induction zone hob with black ceramic glass base
- Machine finished faceted front and sides
- Electronic front touch controls
- Main on/off control
- Electronic power level display
- Boost setting for all zones
- Automatic pan recognition
- Timer with automatic shut-off for all zones
- Anti-overflow protection
- Small utensil detection
- 2 stage Hh residual heat indicator for each zone
- Variable 17-stage power settings for each zone
- Automatic safety switch-off
- Safety lock




### Exxcel 4 zone ceramic induction hob

#### PIL811T14E frameless



- 4 induction zone with black ceramic glass base
- 28cm diameter zone
- Electronic front touch controls
- Electronic power level display
- Boost setting for all zones
- Automatic pan recognition
- Anti-overflow protection
- Small utensil detection
- 2 stage Hh residual heat indicator for each zone
- Variable 17-stage power settings for each zone
- Automatic safety switch-off
- Safety lock



### Exxcel 4 zone ceramic induction hob

#### PIE611T14E frameless



- 4 induction zone hob with black ceramic glass base
- Electronic front touch controls
- Main on/off control
- Electronic power level display
- Boost setting for all zones
- Automatic pan recognition
- Anti-overflow protection
- Small utensil detection
- 2 stage Hh residual heat indicator for each zone
- Variable 17-stage power settings for each zone
- Automatic safety switch-off
- Safety lock



### Logixx 4 zone Quick-Therm ceramic hob

**PKG975N14E brushed steel trim**




- 4 zone Quick-Therm hob with black ceramic glass and brushed steel trim
- 2 dual circuit zones to save energy if using a smaller pan
- Electronic front touch controls
- Main on/off control
- Electronic power level display
- Timer with automatic shut-off for all zones
- 2 stage Hh residual heat indicator for each zone
- Variable 17-stage power settings for each zone
- DirectSelect function
- Freeze function
- Automatic safety switch-off
- Safety lock



### Logixx 4 zone Quick-Therm ceramic hob

**PKC875N14D brushed steel trim**



### Logixx 4 zone Quick-Therm ceramic hob


**PKF675N14E brushed steel trim**



- 4 zone Quick-Therm hob with black ceramic glass and brushed steel trim
- 3 dual circuit zones to save energy if using a smaller pan
- 1 extendable zone to accommodate a large pan, fish kettle or special cooking vessel
- Electronic front touch controls
- Main on/off control
- Electronic power level display
- Timer with automatic shut-off for all zones
- 2 stage Hh residual heat indicator for each zone
- Variable 17-stage power settings for each zone
- DirectSelect function
- Freeze function
- Automatic safety switch-off
- Safety lock
- Can be installed with a Bosch domino hob (see page 71)



- 4 zone Quick-Therm hob with black ceramic glass base and brushed steel trim
- 1 dual circuit zone to save energy if using a smaller pan
- Electronic front touch controls
- Main on/off control
- Electronic power level display
- Timer with automatic shut-off for all zones
- 2 stage Hh residual heat indicator for each zone
- Variable 17-stage power settings for each zone
- DirectSelect function
- Freeze function
- Automatic safety switch-off
- Safety lock
- Can be installed with a Bosch domino hob (see page 71)



### Classixx 4 zone Quick-Therm ceramic hob

**PKC845T14D brushed steel frame**



- 4 zone Quick-Therm hob with black ceramic glass base and brushed steel frame
- 3 dual circuit zones saving energy if using smaller pans
- 1 extendable zone to accommodate a larger pan, fish kettle or special cooking vessel
- Electronic front touch controls
- Electronic power level display
- Main on/off control
- Timer with automatic shut off for all zones
- 2 stage Hh residual heat indicator for each zone
- Variable 17-stage power settings for each zone
- Automatic safety switch-off
- Safety lock




### Classixx 4 zone Quick-Therm ceramic hob

**PKF645T14E brushed steel**



- 4 zone Quick-Therm hob with black ceramic glass base and brushed steel frame
- 1 dual circuit zone to save energy if using a small pan
- Electronic front touch controls
- Electronic power level display
- Main on/off control
- Timer with automatic shut off for all zones
- 2 stage Hh residual heat indicator for each zone
- Variable 17-stage power settings for each zone
- Automatic safety switch-off
- Safety lock




### Classixx 4 zone Quick-Therm ceramic hob

#### PKN811E14E frameless



- 4 zone Quick-Therm hob with black ceramic glass base
- 1 dual circuit zone saving energy if using a small pan
- 1 extendable zone to accommodate a larger pan, fish kettle or special cooking vessel
- Electronic front touch controls
- Electronic power level display
- Main on/off control
- 2 stage Hh residual heat indicator for each zone
- Variable 17-stage power settings for each zone
- Automatic safety switch-off
- Safety lock




### Classixx 4 zone Quick-Therm ceramic hob

#### PKE611E14E frameless



- 4 zone Quick-Therm hob with black ceramic glass base
- Electronic front touch controls
- Electronic power level display
- 2 stage Hh residual heat indicator for each zone
- Variable 17-stage power settings for each zone
- Automatic safety switch-off
- Safety lock




4 zone Quick-Therm ceramic hob

**PKF659V14E frameless premium white**



- 4 zone Quick-Therm hob with white ceramic glass
- 1 dual circuit zone to save energy if using a smaller pan
- Front mounted brushed steel capped controls
- Variable 9-stage power settings for each zone
- Residual heat indicator for each zone




4 zone Quick-Therm ceramic hob

**PKE645C14D brushed steel frame**



- 4 zone Quick-Therm hob with black ceramic glass base and brushed steel frame
- Side mounted brushed steel capped controls
- Variable 9-stage power settings for each zone
- Residual heat indicator for each zone





#### 4 zone Quick-Therm ceramic hob

**PKE611C14D frameless**



- 4 zone Quick-Therm hob with black ceramic glass base
- Easy to use side-mounted controls
- 4 Quick Therm zones
- Variable 9-stage power settings for each zone
- Residual heat indicator for each zone



#### 4 zone sealed plate electric hob

**NCT615C01 brushed steel**

**NCT616C01 black**

**NCT612C01 white**




- 4 super fast sealed cooking plates
- Easy to use side-mounted controls
- 9-stage power settings for each plate

## Domino hobs.

Allow you to tailor your hob to your exact requirements **combining a gas and induction hob**, for example. The slim metal profile allows them to sit profile-to-profile without any visible links. Many of our standard gas and electric hobs also feature the same metal design trim allowing you to mix and match them with our range of Domino hobs.





### Logixx 2 zone ceramic induction hob

**PIE375C14E brushed steel trim**



- 2 induction zone hob with black ceramic glass base and brushed steel trim
- Electronic control
- Brushed steel controls
- Electronic power level display
- Boost setting for all zones
- Automatic pan recognition
- 2 stage Hh residual heat indicator for each zone
- Variable 9-stage power settings for each zone
- Automatic safety switch-off
- Can be installed with other Bosch Logixx hobs



### Logixx wok style domino gas hob with ceramic base

**PRA326B90E brushed steel trim**



- Ceramic glass base with brushed steel trim
- 1 high speed wok burner – 6.0kW
- Flame failure device
- Easy to use front mounted brushed steel control
- Ignition via control knob
- Cast iron pan support
- Factory set for connection to mains gas
- LPG jets included
- Connection to 28-30/37 mbar bottled gas
- Can be installed with other Bosch Logixx hobs



### Logixx 2 zone Quick-Therm ceramic hob

**PKF 375V14E brushed steel trim**



- 2 zone Quick-Therm hob with black ceramic glass base and brushed steel trim
- 1 dual circuit zone to save energy if using a smaller pan
- Brushed steel controls
- 2 stage Hh residual heat indicator for each zone
- Variable 9-stage power settings for each zone
- Can be installed with other Bosch Logixx hobs



### Logixx 2 burner domino gas hob with ceramic base

**PRB326B90E brushed steel trim**



- Ceramic glass base with brushed steel trim
- Two gas burners:
  - 1 high speed burner – 2.8kW
  - 1 standard burner – 1.9kW
- Flame failure device
- Easy to use front mounted brushed steel controls
- Ignition via control knobs
- Cast iron pan support
- Low profile single piece burners
- Factory set for connection to mains gas
- LPG jets included
- Connection to 28-30/37 mbar bottled gas
- Can be installed with other Bosch Logixx hobs



 **BOSCH**

# Hoods.

## Logi**xx**

Premium models with exceptional cutting-edge features and extras. Beautifully functional, perfect inform, they are designed to be the focal point of your kitchen. Auto after running makes sure that any remaining vapours and odours are whisked away, whilst the saturation indicators warn you when it is time to clean or change the filters. With a maximum extraction rate from 590m<sup>3</sup>/h.



## Ex**xx**cel

Mid-range models with a broad range of extra features and benefits. Stylish and practical yet quiet – maximum noise level 58 dB re 1 pW. All models are electronically controlled and feature electronic displays with soft-touch control keys. The intensive setting is ideal for intensive cooking such as stir-fries. With a maximum extraction rate from 550m<sup>3</sup>/h.



## Classi**xx**

Simple practical models offering Bosch build quality and value for money. Integrated lights not only create an additional source of light but also act as a design feature, spotlighting your hob for visual impact. Controlled with neat rocker switches or push buttons, and with a maximum extraction rate from 410m<sup>3</sup>/h.



# Hoods features and benefits.



## Design

### Worktop lighting

Integral 'day light' halogen lighting ensures that the cooking area is clearly illuminated. They last twice as long and are more energy efficient than standard lights. Some models also feature a dimmer function.

## Performance

### Ducted extraction

Ducting out is the most effective method of extraction if the hood can be sited on an outside wall, or an outside wall can be reached via ducting.

### Recirculating extraction

If an outside wall cannot be reached the extractor can be set up for recirculating. Air is drawn into the appliance through the filters to neutralise odours and remove grease particles. The cleaned air is then returned to the kitchen. A carbon filter or recirculating kit is necessary for recirculation (optional accessory).

### Recirculating kit


Contains a carbon filter and any other necessary components to ensure that odour free air is returned into the kitchen. To ensure that the hood performance is maintained, the carbon filter should be replaced on a regular basis.

### Metal filter

A metal filter provides the ultimate in filtering efficiency. The dishwasher-proof metal mesh requires periodic cleaning but can be used over and over again.

### Paper grease filter

The print and stripe markings darken considerably when the disposable paper filter is saturated to indicate that it needs replacing.



## Convenience

### Variable power settings

All Bosch hoods feature multiple power settings, which can be set to effectively remove odours, smoke and moisture caused by cooking in the kitchen area. Many hood models also feature an intensive extraction setting, which gives an extra boost to the performance of the hood when required.

### After running

The hood automatically continues to run on, for approx ten minutes, after normal operation to ensure that any remaining vapours and odours are effectively whisked away. The hood then automatically switches off.

### Automatic switch back

When the intensive setting is selected it may be set to automatically revert back to a pre-defined normal level after a short period of time.





### Logixx island chimney hood with glass canopy

**DIA096751B brushed steel**



- 90cm wide island chimney extractor hood
- Brushed steel chimney section with glass canopy
- Designed for ceiling mounted installation
- Suitable for ducted or recirculating operation
- Electronic control
- Electronic power level display
- 3 speed + intensive operation via soft touch controls
- 4 x 20W halogen lights
- 2 removable metal grease filters
- Automatic after running
- Automatically switches back from intensive to normal setting
- Filter saturation indicator
- Extractor hose 150mm or 120mm
- Maximum extraction rate 780m<sup>3</sup>/h (intensive)
- 61 dB re 1 pW at max. power

#### Optional accessories:

Recirculating kit DHZ5125  
 Short ducting kit DHZ5623GB  
 Long ducting kit DHZ5624GB



### Logixx island chimney hood

**DIB096850B brushed steel**



- 90cm wide chimney extractor hood
- Brushed steel canopy and chimney section
- Designed for ceiling mounted installation
- Suitable for ducted or recirculating operation
- Electronic control
- Electronic power level display
- 3 speed + intensive operation via soft touch controls
- 4 x 20W halogen lights with softlight dimmer function
- 3 removable metal grease filters
- Filter saturation indicators
- Automatic after-running
- Automatically switches back from intensive to normal setting
- Extractor hose 150 or 120mm
- Maximum extraction rate 820m<sup>3</sup>/h (intensive)
- 59 dB re 1 pW at max. power

#### Optional accessories:

Recirculating kit DHZ5285  
 Short ducting kit DHZ5623GB  
 Long ducting kit DHZ5624GB



### Logixx angled chimney hood

**DWK096751B brushed steel**



- 90cm wide chimney extractor hood
- Brushed steel canopy and chimney section
- Designed for wall mounted installation
- Suitable for ducted or recirculating operation
- Electronic control
- Electronic power level display
- 4 speed + intensive operation via soft touch control buttons
- 3 x 20W halogen lights
- 2 removable metal grease filters
- Filter saturation indicators
- Automatic after-running
- Automatically switches back from intensive to normal setting
- Extractor hose 150 or 120mm
- Maximum extraction rate 740m³/h (intensive)
- 65 dB re 1 pW at max. power

#### Optional accessories:

Recirculating kit DHZ5475  
Short ducting kit DHZ5623GB  
Long ducting kit DHZ5624GB



### Logixx chimney extractor hood with glass canopy

**DWK096650B brushed steel**



- 90cm wide chimney extractor hood
- Brushed steel chimney section with glass canopy
- Designed for wall-mounted installation
- Suitable for ducted extraction only
- Electronic power level display
- 3 speed + intensive operation via soft touch control buttons
- 3 x 20W halogen lights with softlight dimmer function
- Filter saturation indicator
- Dual filter system
- 1 removable metal grease filter
- Automatic after-running
- Automatically switches back from intensive to normal setting
- Extractor hose 150 or 120mm
- Maximum extraction rate 620m³/h (intensive)
- 54 dB re 1 pW at max. power

#### Optional accessories:

Short ducting kit DHZ5623GB  
Long ducting kit DHZ5624GB



### Logixx chimney extractor hood with glass canopy

**DWA096550B brushed steel**



- 90cm wide chimney extractor hood
- Brushed steel chimney section with glass canopy
- Designed for wall-mounted installation
- Suitable for ducted or recirculating operation
- Electronic power level display
- 3 speed + intensive operation via soft touch control buttons
- 2 x 20W halogen lights with softlight dimmer function
- Filter saturation indicator
- 1 removable metal grease filter box with multi-zone extraction
- Automatic after-running
- Automatically switches back from intensive to normal setting
- Extractor hose 120 or 150mm
- Maximum extraction rate 590m<sup>3</sup>/h (intensive)
- 62 dB re 1 pW at max. power

#### Optional accessories:

Recirculating kit DHZ5185  
Short ducting kit DHZ5623GB  
Long ducting kit DHZ5624GB



### Logixx box chimney hood

**DWB099751B brushed steel**



- 90cm wide chimney extractor hood
- Brushed steel canopy and chimney section
- Designed for wall mounted installation
- Suitable for ducted or recirculating operation
- Electronic control
- 3 speed + intensive operation via Direct Select metal touch controls
- 3 x 20W halogen lights with softlight dimmer function
- 3 removable metal grease filters
- Filter saturation indicators
- Automatic after-running
- Automatically switches back from intensive to normal setting
- Extractor hose 150 or 120mm
- Maximum extraction rate 770m<sup>3</sup>/h (intensive)
- 65 dB re 1 pW at max. power

#### Optional accessories:

Recirculating kit DHZ5225  
Brushed steel back panel DHZ9550  
Short ducting kit DHZ5623GB  
Long ducting kit DHZ5624GB

**Exxcel angled chimney hood****DWK096651B brushed steel**

- 90cm wide chimney extractor hood
- Brushed steel canopy and chimney section
- Designed for wall mounted installation
- Suitable for ducted or recirculating operation
- Electronic control
- Electronic power level display
- 4 speed + intensive operation via soft touch control buttons
- 3 x 20W halogen lights
- 4 removable metal grease filters
- Filter saturation indicators
- Automatic after-running
- Automatically switches back from intensive to normal setting
- Extractor hose 150 or 120mm
- Maximum extraction rate 690m³/h (intensive)
- 66 dB re 1 pW at max. power

**Optional accessories:**

Recirculating kit DHZ5455  
 Short ducting kit DHZ5623GB  
 Long ducting kit DHZ5624GB

**Exxcel chimney hood with glass canopy****DWA095550B brushed steel**

- 90cm wide chimney extractor hood
- Brushed steel chimney section with glass canopy and brushed steel front trim
- Designed for wall mounted installation
- Suitable for ducted or recirculating operation
- Electronic control
- Electronic power level display
- 3 speed + intensive operation via soft touch control buttons
- 2 x 20W halogen lights
- 1 removable metal grease filter box with multi-zone extraction
- Filter saturation indicator
- Automatically switches back from intensive to normal setting
- Extractor hose 150 or 120mm
- Maximum extraction rate 550m³/h (intensive)
- 58 dB re 1 pW at max. power

**DWA075550B brushed steel**

As DWA095550B except:

- 70cm wide chimney extractor hood

**DWA065550B brushed steel**

As DWA095550B except:

- 60cm wide chimney extractor hood

**Optional accessories:**

Recirculating kit DHZ5185  
 Short ducting kit DHZ5623GB  
 Long ducting kit DHZ5624GB



### **Classixx cylinder chimney hood**

**DWC041650B brushed steel**



- 40cm wide chimney extractor hood
- Cylinder brushed steel chimney section
- Designed for wall-mounted installation
- Suitable for ducted or recirculating operation
- 3 speed via push button controls
- 2 x 20W halogen lights
- 1 removable metal grease filter
- Extractor hose 120 or 150mm
- Maximum extraction rate 620m<sup>3</sup>/h
- 71 dB re 1 pW at max. power

#### **Optional accessories:**

Recirculating kit DHZ5425  
Short ducting kit DHZ5623GB  
Long ducting kit DHZ5624GB



### **Classixx chimney hood with glass canopy**

**DWA073551B brushed steel**



- 70cm wide chimney extractor hood
- Brushed steel chimney section with glass canopy
- Designed for wall mounted installation
- Suitable for ducted or recirculating operation
- 3 speed + intensive operation via push button controls
- 2 x 28W halogen lights
- 1 removable metal grease filter box
- Extractor hose 150 or 120mm
- Maximum extraction rate 620m<sup>3</sup>/h (intensive)
- 59 dB re 1 pW at max. power

#### **Optional accessories:**

Recirculating kit DHZ5225  
Short ducting kit DHZ5623GB  
Long ducting kit DHZ5624GB



### Classixx chimney hood with glass canopy

**DWA092550B clear glass**

**DWA092560B black glass**

**DWA092520B white glass**



- 90cm wide chimney extractor hood
- Brushed steel chimney section with coloured glass canopy
- Designed for wall mounted installation
- Suitable for ducted or recirculating operation
- 3 speed operation via rocker switch controls
- 2 x 20W halogen lights
- 1 removable metal grease filter box
- Extractor hose 150 or 120mm
- Maximum extraction rate 620m<sup>3</sup>/h
- 65 dB re 1 pW at max. power



**DWA062550B clear glass**

**DWA062560B black glass**

**DWA062520B white glass**

As DWA0925.0B except:

- 60cm wide chimney extractor hood



#### Optional accessories:

Recirculating kit DHZ5225  
Short ducting kit DHZ5623GB  
Long ducting kit DHZ5624GB



### Classixx chimney hood with glass canopy

**DWA092450B brushed steel**



- 90cm wide chimney extractor hood
- Brushed steel chimney section with glass canopy
- Designed for wall mounted installation
- Suitable for ducted or recirculating operation
- 3 speed operation via rocker switches
- 2 x 28W halogen lights
- 1 removable metal grease filter box
- Extractor hose 150 or 120mm
- Maximum extraction rate 410m<sup>3</sup>/h
- 65 dB re 1 pW at max. power



**DWA072450B brushed steel**

As DWA092450B except:

- 70cm wide chimney extractor hood



**DWA062450B brushed steel**

As DWA092450B except:

- 60cm wide chimney extractor hood



#### Optional accessories:

Recirculating kit DHZ5225  
Short ducting kit DHZ5623GB  
Long ducting kit DHZ5624GB



### Classixx box chimney hood

**DWB093450B brushed steel**



- 90cm wide chimney extractor hood
- Brushed steel canopy and chimney section
- Designed for wall mounted installation
- Suitable for ducted or recirculating operation
- 3 speed operation via push button controls
- 2 x 20W halogen lights
- 2 removable metal grease filters
- Extractor hose 150 or 120mm
- Maximum extraction rate 460m<sup>3</sup>/h
- 65 dB re 1 pW at max. power



**DWB073450B brushed steel**

As DWB093450B except:

- 70cm wide chimney extractor hood



**DWB063450B brushed steel**

As DWB093450B except:

- 60cm wide chimney extractor hood

#### Optional accessories:

Recirculating kit DHZ5225  
Short ducting kit DHZ5623GB  
Long ducting kit DHZ5624GB  
Brushed steel back panel DHZ9550 (90cm) DHZ6550 (60cm)



### Classixx chimney hood

**DWW093450B brushed steel**



- 90cm wide chimney extractor hood
- Brushed steel canopy and chimney section
- Designed for wall mounted installation
- Suitable for ducted or recirculating operation
- 3 speed operation via push button controls
- 2 x 20W halogen lights
- 2 removable metal grease filters
- Extractor hose 150 or 120mm
- Maximum extraction rate 460m<sup>3</sup>/h
- 65 dB re 1 pW at max. power



**DWW063450B brushed steel**

As DWW093450B except:

- 60cm wide chimney extractor hood

#### Optional accessories:

Recirculating kit DHZ5225  
Short ducting kit DHZ5623GB  
Long ducting kit DHZ5624GB  
Brushed steel back panel DHZ9550 (90cm) DHZ6550 (60cm)





### Chimney extractor hood

#### DWW112450B brushed steel



- 100cm wide chimney extractor hood
- Brushed steel canopy and chimney section
- Designed for wall-mounted installation
- Suitable for ducted or recirculating operation
- 3 speed operation via rocker switch controls
- 2 x 40W lights
- Extractor hose 120mm
- 3 removable metal grease filters
- Maximum extraction rate 400m<sup>3</sup>/h
- 67 dB re 1 pW at max. power

#### DWW092450B brushed steel

##### DWW092460B black

As DWW112450B except:

- 90cm wide chimney extractor hood

#### DWW072450B brushed steel

As DWW112450B except:

- 70cm wide chimney extractor hood
- 2 removable metal grease filters

#### DWW062450B brushed steel

##### DWW062460B black

As DWW112450B except:

- 60cm wide chimney extractor hood
- 2 removable metal grease filters

#### Optional accessories:

Recirculating kit DHZ5145  
 Short ducting kit DHZ5623GB  
 Long ducting kit DHZ5624GB  
 Brushed steel back panel DHZ9550 (90cm), DHZ6550 (60cm)



### Chimney hood

#### DWW091350B brushed steel



- 90cm wide chimney extractor hood
- Brushed steel canopy and chimney section
- Designed for wall-mounted installation
- Suitable for ducted or recirculating operation
- 2 speed operation via sliding switch
- 2 x 40W lights
- 3 removable metal grease filters
- Extractor hose 120mm
- Maximum extraction rate 320m<sup>3</sup>/h
- 66 dB re 1 pW at max. power



#### DWW061350B brushed steel

As DWW091350B except:

- 60cm wide chimney extractor hood
- 1 removable metal grease filters

#### Optional accessories:

Recirculating kit DHZ5415  
 Short ducting kit DHZ5623GB  
 Long ducting kit DHZ5624GB  
 Brushed steel back panel DHZ9550 (90cm)/DHZ 6550 (60cm)



### Telescopic hood

**DHI965VGB silver metallic lacquer**



- 90cm wide telescopic hood
- Variable control position
- Suitable for ducted or recirculating extraction
- Designed for installation in or between wall cupboards
- Electronic control
- Electronic power level display
- 3 speed + intensive operation via push button controls
- Interval operation
- 3 x 20W halogen lights with softlight dimmer function
- 2 removable metal grease filters
- Filter saturation indicators
- Automatic after-running
- Automatically switches back from intensive to normal setting
- Extractor hose 150 or 120mm
- Will accept light pelmet to match kitchen furniture (not supplied)
- Maximum extraction rate 700m³/h (intensive)
- 59 dB re 1 pW at max. power



**DHI665VGB silver metallic lacquer**

As DHI965VGB except:

- 60cm wide telescopic hood
- 2 x 20W halogen lights with softlight dimmer function

#### Optional accessories:

Recirculating kit DHZ4505  
 Short ducting kit DHZ5623GB  
 Long ducting kit DHZ5624GB  
 Steel finish profile handle DHZ4950 (90cm), DHZ4650 (60cm)  
 Steel finish profile/handle with control opening DHZ4955 (90cm), DHZ4655 (60cm)



### Telescopic hood

**DHI635HGB silver metallic lacquer**



- 60cm wide telescopic hood
- Suitable for ducted or recirculating extraction
- Designed for installation in or between wall cupboards
- Double filter system
- 3 speed operation via rocker switch controls
- 2 x 40W lights
- 2 removable metal grease filters
- Supplied with neutral handle/profile
- Will accept light pelmet to match kitchen furniture (not supplied)
- Maximum extraction rate 400m³/h
- 64 dB re 1 pW at max. power

#### Optional accessories:

Recirculating kit DHZ3405  
 Short ducting kit DHZ5623GB  
 Long ducting kit DHZ5624GB



## Canopy hood

**DHL545SGB silver metallic lacquer**

- For installation into the base of a wall cupboard
- Suitable for ducted or recirculating extraction
- 3 speed + intensive operation via slider control
- 2 x 20W halogen lights
- 2 removable metal grease filters
- Maximum extraction rate 500m<sup>3</sup>/h (intensive)
- 62 dB re 1 pW at max. power

**Optional accessories:**

Recirculating kit DHZ 7305  
 Short ducting kit DHZ 5623 GB  
 Long ducting kit DHZ 5624 GB



## Canopy hood

**DHL535BGB silver metallic lacquer**

- For installation into the base of a wall cupboard
- Suitable for ducted or recirculating extraction
- 2 speed + intensive operation via rocker switch controls
- 2 x 40W light
- Maximum extraction rate 280m<sup>3</sup>/h (intensive)
- 60 dB re 1 pW at max. power

**Optional accessories:**

Paper grease filter DHZ2100  
 Recirculating kit DHZ 7304  
 Short ducting kit DHZ 5623 GB  
 Long ducting kit DHZ 5624 GB



### Integrated extractor

**DHE645MGB silver metallic lacquer**



- Accepts furniture door (not supplied)
- Designed to be installed between two standard wall units
- Suitable for ducted or recirculating extraction
- 3 speed operation via rocker switches
- 2 x 40W lights
- 2 removable metal grease filters
- Maximum extraction rate 360m<sup>3</sup>/h
- 64 dB re 1 pW at max. power

#### Optional accessories:

Recirculating kit DSZ11AF  
Short ducting kit DHZ5623GB  
Long ducting kit DHZ5624GB



### Integrated extractor

**DHE635BGB silver metallic lacquer**



- Accepts furniture door (not supplied)
- Designed to be installed between two standard wall units
- Suitable for ducted or recirculating extraction
- 3 speed operation via rocker switches
- 1 x 40W light
- Maximum extraction rate 280m<sup>3</sup>/h
- 66 dB re 1 pW at max. power

#### Optional accessories:

Paper grease filter DHZ2100  
Recirculating kit DSZ11AF  
Short ducting kit DHZ5623GB  
Long ducting kit DHZ5624GB



#### Conventional extractor

**DHU625MGB brushed steel**



- Slimline conventional hood
- Suitable for ducted or recirculating extraction
- Designed for wall mounted installation or suspended beneath a reduced height wall cupboard
- 3 speed via push button controls
- 2 x 20W halogen lights
- 2 removable metal grease filters
- Extractor hose 120mm
- Maximum extraction rate 280m<sup>3</sup>/h
- 70 dB re 1 pW at max. power

#### Optional accessories:

Charcoal filter DHZ2400  
Short ducting kit DHZ5623GB  
Long ducting kit DHZ5624GB



#### Conventional extractor

**DHU635PGB brushed steel**



**DHU636PGB black**



**DHU632PGB white**



- Slimline conventional hood
- Suitable for ducted or recirculating extraction
- Designed for wall mounted installation or suspended beneath a reduced height wall cupboard
- 3 speed operation via rocker switch controls
- 1 x 40W light
- Glass visor
- Extractor hose 120mm
- Maximum extraction rate 190m<sup>3</sup>/h

#### Optional accessories:

Paper grease filter DHZ2100  
Recirculating kit DHZ1100  
Short ducting kit DHZ5623GB  
Long ducting kit DHZ5624GB



# Refrigeration.

## *Logixx*

Our premium range, with exceptional cutting-edge features and extras. A beautiful combination of high convenience technology and intelligent design, from the American-style fridge-freezers with indoor ice and water dispenser to our built-in fridge-freezer with Active Cooling. And all with Auto Defrost and Frost-free systems that mean you never have to worry about defrosting the fridge or freezer again.



## *Exxcel*

Mid-range models with a broad range of extra features and benefits. Stylishly finished with aluminium trim, state-of-the-art features include Superfreeze and Supercool functions for maximum food protection when re-stocking the fridge or freezer and precise electronic temperature control.



## *Classixx*

Simple, practical models offering Bosch build quality and value for money. All Classixx fridges and fridge-freezers feature Auto Defrost systems and many models are so efficient that they have been awarded A+ by the EC Energy Efficiency rating scheme.





# Refrigeration features and benefits.



## Performance



### Saving a further 25% of energy with A+

Unlike your washing machine or dishwasher, your fridge or freezer is on 24 hours a day, so it is especially important that the appliance does not waste energy. Our cooling products are among the most energy-efficient performers in the industry, minimising environmental damage and saving you money. Every model in our range has at least an A rating in the EC Energy Efficiency rating scheme and many of our models have an A+ energy rating, meaning that it uses up to 25% less energy than equivalent A-rated products.

### Active cooling

The temperature within a conventional fridge can be uneven, since warmer air rises. Bosch Active Cooling solves this problem by blowing cold air into all areas of the fridge by fan or rear wall venting. Sensor electronics maintain a constant temperature throughout the compartment to  $\pm 1^{\circ}\text{C}$ . Your food is protected against bacterial growth, and is kept fresher for longer.

### Supercool

Putting new food into your fridge causes the internal temperature to increase; the more you add, the greater the effect. Your fridge has to work harder to cool down, and the food already stored in there can get warmer. So for maximum preservation, Supercool will prepare your fridge by rapidly reducing the temperature, keeping the contents cool, and quickly lowering the temperature of the new groceries down to  $2^{\circ}\text{C}$ .

### Superfreeze

Adding new food to the freezer raises the internal temperature, and the freezer has to work harder to avoid food already in there from warming-up, and possibly even part defrosting. The Superfreeze function rapidly lowers the temperature in the freezer, ensuring that the fresh food is frozen food quickly, while surrounding frozen food stays frozen. So even when the door is open for longer periods, the contents are protected.

### Individual freezing elements

All standard (non Frost-free) Bosch freezer drawers feature individual freezing elements which ensures an even temperature throughout the freezer as well as efficient freezing down in every drawer.

### Pull-out fridge tray

The pull-out fridge tray is suitable for the storage of cold meat, cheese and other small items and can be positioned at any level.

### Airstream shelving

Air vents at the back of the shelf allow an increased level of air circulation within the fridge. This improved circulation leads to food staying fresher for longer due to a more even temperature within the fridge.

### Humidity control

Allows adjustment of both temperature and humidity levels to maximise the shelf life of fruits and vegetables. Lettuce, for example should be stored at high air humidity compared to other fruit and vegetables.

### Vegetable/Salad drawer with rippled base

Food will stay fresher for longer, as the ripple base technology leads to a reduction in humidity levels and improved air circulation.



## Design

### Flat hinge design

To facilitate the quick and easy fitting of secondary furniture doors, without the need for extra drilling. Easy to fit, this design takes up to 45kg of weight on the door, offers an increased opening angle of 115° and features automatic door closing at an angle of less than 20°.

### Sliding hinges

Are attached to a slide connector pre-fitted at the factory, which offers a simple low cost route to adding door furniture. It offers adjustment in depth and height for precise fitting.

## Convenience



### Frost free

Available on selected fridge-freezers, this innovative system eliminates the formation of ice on food and the freezer interior, meaning you never have to worry about defrosting again. Intelligent electronics ensure that the defrost operation is only initiated when the appliance actually needs it.

### Auto-defrost

Automatically defrosts the fridge at regular intervals without the need to switch off the appliance or remove the food stored.



### Electronic temperature control

Accurate temperature control is essential to maximise the freshness of your food. Our premium fridge-freezers feature accurate electronic control and temperature display for both fridge and freezer sections.

### Easy to clean

All our fridges have smooth, easy-to-clean interior walls, and most of the interior fittings can be washed occasionally in a dishwasher for an extra thorough clean. The magnetic door seals on all of our refrigeration range are removable, making them easy to clean and/or replace if necessary sometime in the future.

## Safety

### ★★★★ freezer compartment

Bosch freezer compartments allow food to be stored below -18°C so that it can be stored for longer. As it is a 4 star compartment, you can freeze fresh food.



### Anti-bacterial protection

Most of our fridge and fridge-freezer models have natural silver elements within the lining of the fridge section which gives lifetime protection against bacteria, micro organism and algae growth, providing the safest possible storage environment for your food.



### Safety glass shelves

Our superb safety glass shelves have an anti-spill trim, and can hold up to a pint of liquid in case of accidents. They also have a scratch-resistant, non-slip surface, and are very easy to clean. All shelves are height adjustable allowing you to maximise the interior storage space.

### Door open and optical alarm

With this feature, if you inadvertently leave your freezer door ajar an alarm will sound so that you can prevent food spoilage. Then for extra peace of mind, there is a warning light that will illuminate to let you know immediately should the freezer reach a dangerously high temperature.

# American-style fridge-freezers.

**Brilliant masterpieces in XXL format**, the new Bosch CoolSpace fridge-freezers will easily cope with the demands of a large family, and make a bold design statement too.



## High capacity with stylish design

Choose either the classic steel look, with fingerprint resistant finish; sleek, chic gloss black, or the stunning high-gloss glass front white model.



## Saving a further 25% of energy with A+

The new Bosch CoolSpace models set the standard in high-performance refrigeration technology combined with outstanding environmental-friendliness. All models have at least an A energy efficiency rating, while the top-of-the-range model, with an A+ energy efficiency rating, is up to 25% more economical than energy efficiency class A.



## In-door electronic controls

All CoolSpace models feature fully electronic controls set conveniently into the door exterior, giving you precise fingertip control of the temperature of both the fridge and freezer compartments.

## In-door ice and chilled water dispenser

The in-door ice and chilled water dispenser gives you the choice of chilled, filtered water, crushed ice and ice cubes – up to 140 every 24 hours.

## Fresh Protect Box

Our top-of-the-range model features a separate compartment with independent temperature control. Conveniently accessible on smooth-running telescopic rails, the multi-purpose Fresh Protect Box keeps food items fresher for longer. With 3 temperature settings: 4°C, 2°C and 0°C, it can be used to store different foods like fish, meat, vegetables, fruit or dairy products, at the most appropriate temperature for the food type.

## EasyLift safety glass shelf

The EasyLift safety glass shelf on our top of the range model can be raised or lowered without emptying it first – convenient, flexible, easy.

## Dazzling design

The interiors of our CoolSpace fridge-freezers shine with exceptionally bright lighting for optimum viewing.



## Separate cooling systems

CoolSpace fridge-freezers feature a separate evaporator for the fridge and freezer sections, which not only prevents the transfer of flavours, but also allows the fridge and freezer temperatures to be controlled separately.



## CoolSpace American-style fridge-freezer

**KAD62S20 premium white**

Gross capacity **657 litres / 23.2 cu.ft.**

Fridge net capacity **355 litres / 12.5 cu.ft.**

Freezer compartment net capacity **178 litres / 6.3 cu.ft.**

Electricity consumption **467 kWh per year**

Approximate annual running cost **£56.04\***

**H 176 x W 91 x D 76 cm**

\* Based on an average figure of 12p per kWh including VAT



- Stylish design with high-gloss white glass-fronted doors
- In-door water and ice dispenser – choice of chilled filtered water, crushed ice or ice cubes
- External in-door LCD electronic controls
- Separate cooling systems in the fridge and freezer sections – prevents transfer of odours

**Fridge section**

- Multi airflow cooling system
- Supercool function
- Auto-defrost
- Anti-bacterial protection
- 4 safety glass shelves, including 1 extendable and 2 height-adjustable, 1 of which is an EasyLift glass shelf
- 1 EasyLift glass shelf for smooth and easy height adjustment, even when the shelf is full of food
- 4 door trays
- 1 full width salad container, with humidity filter, on telescopic rails
- 19 litre capacity Fresh Protect Box, on telescopic rails, with 3 temperature settings: 4°C, 2°C and 0°C
- 1 deli drawer for cheese and sliced meats
- Bright interior lighting
- Air-fresh filter

**Freezer section**

- ★★★★★ freezer
- Frost-free system
- Superfreeze function
- 3 safety glass shelves, 2 of which are adjustable
- 2 transparent freezer drawers, including a Big Box drawer
- Big Box drawer for large items e.g. turkeys
- 4 removable door trays, 3 of which tiltable
- Bright interior lighting
- Optical and acoustic high temperature, door open and malfunction warning systems
- Safety lock setting on electronic controls
- Water plumbed in (filter and 3 meter hose supplied)





Coolspace American-style fridge-freezer

**KAD62V40GB steel look****KAD62V50GB high-gloss black\*\***

Gross capacity **655 litres / 23.1 cu.ft.**  
 Fridge net capacity **378 litres / 13.4 cu.ft.**  
 Freezer compartment net capacity **178 litres / 6.3 cu.ft.**  
 Electricity consumption **557 kWh per year**  
 Approximate annual running cost **£66.84\***  
**H 176 x W 91 x D 76 cm**

\* Based on an average figure of 12p per kWh including VAT



- Stylish design in high-gloss black, or with steel-look doors and sides
- In-door water and ice dispenser – choice of chilled filtered water, crushed ice or ice cubes
- External in-door LED electronic controls
- Separate cooling systems in the fridge and freezer sections – prevents transfer of odours

**Fridge section**

- Multi airflow cooling system
- Supercool function
- Auto-defrost
- Anti-bacterial protection
- 4 safety glass shelves, 3 of which are height-adjustable
- 4 door trays
- 2 full width salad containers, 1 with humidity control
- 1 deli drawer for cheese and sliced meats
- Bright interior lighting

**Freezer section**

- \*\*\*\* freezer
- Frost-free system
- Superfreeze function
- 3 safety glass shelves, 2 of which are height-adjustable
- 2 transparent freezer drawers, including a Big Box drawer
- Big Box drawer for large items e.g. turkeys
- 3 tiltable door trays
- Bright interior lighting
- Acoustic warning system
- Water plumbed in (filter and 3 metre hose supplied)



Coolspace American-style fridge-freezer

**KAN62V40GB steel look**

Gross capacity **673 litres / 23.8 cu.ft.**  
 Fridge net capacity **387 litres / 13.7 cu.ft.**  
 Freezer compartment net capacity **219 litres / 7.7 cu.ft.**  
 Electricity consumption **529 kWh per year**  
 Approximate annual running cost **£63.48\***  
**H 176 x W 91 x D 76 cm**

\* Based on an average figure of 12p per kWh including VAT



- Stylish design with steel-look doors and sides
- External in-door LED electronic controls
- Separate cooling systems in the fridge and freezer sections – prevents transfer of odours

**Fridge section**

- Multi airflow cooling system
- Supercool function
- Auto-defrost
- Anti-bacterial protection
- 4 safety glass shelves, 3 of which are height-adjustable
- 4 door trays
- 2 full width salad containers
- Bright interior lighting

**Freezer section**

- \*\*\*\* freezer
- Frost-free system
- Superfreeze function
- Twist ice dispenser
- 3 safety glass shelves, 2 of which are height-adjustable
- 2 transparent freezer drawers, including a Big Box drawer
- Big Box drawer for large items e.g. turkeys
- 5 tiltable door trays
- Bright interior lighting
- Acoustic warning system

\*\*Please check with your Bosch dealer prior to purchase for availability





### Logixx built-in fridge-freezer

#### KIN32A42GB white

Gross capacity **262 litres / 9.3 cu.ft.**

Fridge net capacity **147 litres / 5.2 cu.ft.**

Freezer net capacity **86 litres / 3.0 cu.ft.**

Freezing capacity **8kg in 24 hours**

Max. storage time in power failure **22 hours**

Electricity consumption **336 kWh per year**

Approx. annual running cost **£40.32\***

EU Efficiency Rating **A**

\* Based on an average figure of 12p per kWh including VAT



#### Features

- Flat hinge design, reversible
- Electronic control
- Independent fridge and freezer temperature control

#### Fridge section

- LED temperature display
- Auto defrost
- Anti-bacterial protection
- Active cooling for improved air circulation
- 3 height adjustable, anti-spill safety glass shelves
- 25W interior light
- Pull-out fridge tray
- Door bottle gripper
- Humidity control
- 2 salad containers with aluminium trim and glass shelf above
- Foamed in evaporator with smooth easy to clean walls
- 2 egg racks
- Removable door trays with aluminium trim

#### Freezer section

- **\*\*\*\*** freezer
- Frost free
- Superfast freezing system
- Acoustic and optical high temperature and door open alarm system
- 4 transparent freezer drawers
- Individual freezing elements
- 2 ice packs and 1 ice cube tray



### Exxcel built-in fridge-freezer

#### KIV32A50GB white

Gross capacity **276 litres / 9.7 cu.ft.**

Fridge net capacity **168 litres / 5.9 cu.ft.**

Freezer net capacity **94 litres / 3.1 cu.ft.**

Freezing capacity **6kg in 24 hours**

Max. storage time in power failure **24 hours**

Electricity consumption **286 kWh per year**

Approx. annual running cost **£34.32\***

EU Efficiency Rating **A+**

\* Based on an average figure of 12p per kWh including VAT



#### Features

- Flat hinge design, reversible
- Electronic control

#### Fridge section

- Precise LED temperature display
- Auto defrost
- Anti-bacterial protection
- Interior light
- Air stream shelf vents for improved air circulation
- 3 height adjustable, anti-spill safety glass shelves
- Pull-out fridge tray
- 1 ripple based salad container with aluminium trim and glass shelf above
- 2 egg racks for up to 14 eggs
- Removable door trays with aluminium trim
- Smooth interior walls for easy cleaning

#### Freezer section

- **\*\*\*\*** freezer
- Superfast freezing system
- 4 transparent freezer drawers
- Individual freezing elements
- 2 ice packs and 1 ice cube tray







### Exxcel built-in fridge-freezer

#### KIV38A51GB white



Gross capacity **296 litres / 10.4 cu.ft.**

Fridge net capacity **222 litres / 7.8 cu.ft.**

Freezer net capacity **59 litres / 2.1 cu.ft.**

Freezing capacity **6kg in 24 hours**

Max. storage time in power failure **22 hours**

Electricity consumption **277 kWh per year**

Approx. annual running cost **£33.24\***

EU Efficiency Rating **A+**

\* Based on an average figure of 12p per kWh including VAT



#### Features

- Flat hinge design, reversible
- Electronic control

#### Fridge section

- Precise LED temperature display
- Auto defrost
- Anti-bacterial protection
- Interior light
- Air stream shelf vents for improved air circulation
- 4 height adjustable, anti-spill safety glass shelves
- Pull-out fridge tray
- Full width ripple based salad container with aluminium trim and glass shelf above
- 2 egg racks for up to 14 eggs
- Removable door trays with aluminium trim
- Smooth interior walls for easy cleaning

#### Freezer section

- **\*\*\*\*** freezer
- Superfast freezing system
- 3 transparent freezer drawers
- Individual freezing elements
- 2 ice packs and 1 ice cube tray





## Classixx built-in fridge-freezer

### KIV38V20GB white



Gross capacity **294 litres / 10.4 cu.ft.**

Fridge net capacity **219 litres / 7.7 cu.ft.**

Freezer net capacity **60 litres / 2.1 cu.ft.**

Freezing capacity **3kg in 24 hours**

Max. storage time in power failure **13 hours**

Electricity consumption **276 kWh per year**

Approx. annual running cost **£33.12\***

EU Efficiency Rating **A+**

\* Based on an average figure of 12p per kWh including VAT



#### Features

- Sliding hinge design, reversible

#### Fridge section

- Auto defrost
- Anti-bacterial protection
- Interior light
- Air stream shelf vents for improved air circulation
- 4 height adjustable, anti-spill safety glass shelves
- Full width salad container with rippled base and glass shelf above
- Butter dish
- Removable door trays
- Smooth interior walls for easy cleaning

#### Freezer section

- **\*\*\*** freezer
- 3 transparent freezer drawers
- Individual freezing elements





### Classixx built-in fridge-freezer

**KIV32V01GB white**



Gross capacity **274 litres / 9.7 cu.ft.**

Fridge net capacity **167 litres / 5.9 cu.ft.**

Freezer net capacity **95 litres / 3.3 cu.ft.**

Freezing capacity **4.5kg in 24 hours**

Max. storage time in power failure **13 hours**

Electricity consumption **323 kWh per year**

Approx. annual running cost **£38.76\***

EU Efficiency Rating **A**

\* Based on an average figure of 12p per kWh including VAT



#### Features

- Sliding hinge design, reversible

#### Fridge section

- Auto defrost
- Anti-bacterial protection
- Interior light
- Air stream shelf vents for improved air circulation
- 2 height adjustable, anti-spill safety glass shelves
- Full width salad container with rippled base and glass shelf above
- Removable door trays
- Smooth interior walls for easy cleaning

#### Freezer section

- **\*\*\*\*** freezer
- 4 transparent freezer drawers
- Individual freezing elements



## Classixx built-in fridge-freezer

**KIV38V01GB white**



Gross capacity **294 litres / 10.3 cu.ft.**

Fridge net capacity **219 litres / 7.7 cu.ft.**

Freezer net capacity **60 litres / 2.1 cu.ft.**

Freezing capacity **3kg in 24 hours**

Max. storage time in power failure **13 hours**

Electricity consumption **314 kWh per year**

Approx. annual running cost **£37.68\***

EU Efficiency Rating **A**

\* Based on an average figure of 12p per kWh including VAT



### Features

- Sliding hinge design, reversible

### Fridge section

- Auto defrost
- Anti-bacterial protection
- Interior light
- Air stream shelf vents for improved air circulation
- 3 height adjustable, anti-spill safety glass shelves
- Full width salad container with rippled base and glass shelf above
- Removable door trays
- Smooth interior walls for easy cleaning

### Freezer section

- **\*\*\*** freezer
- 3 transparent freezer drawers
- Individual freezing elements



### Logixx built-in fridge

**KIR18A51GB white**

Gross capacity **155 litres / 5.5 cu.ft.**

Fridge net capacity **153 litres / 5.4 cu.ft.**

Electricity consumption **122 kWh per year**

Approx. annual running cost **£14.64\***

EU Efficiency Rating **A+**

\* Based on an average figure of 12p per kWh including VAT



- Flat hinge design, reversible
- Electronic control
- Supercool function
- Auto defrost
- Anti-bacterial protection
- Air stream shelf vents for improved air circulation
- Interior light
- 3 height adjustable, anti-spill safety glass shelves
- Humidity control
- Pull-out fridge tray
- Full width ripple based salad container with aluminium trim and glass shelf above
- 1 egg rack for up to 7 eggs
- Door bottle gripper
- Removable door trays with aluminium trim
- Can be combined with GID18A50GB



### Logixx built-in freezer

**GID18A50GB white**

Gross capacity **106 litres / 3.7 cu.ft.**

Freezer net capacity **98 litres / 3.5 cu.ft.**

Freezing capacity **12 kg in 24 hours**

Max. storage time in power failure **25 hours**

Electricity consumption **194 kWh per year**

Approx. annual running cost **£23.28\***

EU Efficiency Rating: **A+**

\* Based on an average figure of 12p per kWh including VAT



- Flat hinge design, reversible
- ★★★★★ freezer
- Individual freezing elements
- 4 transparent freezers drawers with aluminium trim
- Superfast freezing system
- Acoustic and optical high temperature and door open alarm system
- 2 freezer blocks for emergency/outdoor use
- Ice cube tray
- Automatic door closing
- Drawer stops to avoid accidental tipping of contents
- Can be combined with KIR18A51GB



### Exxcel built-in fridge

**KIR18V00GB white**

Gross capacity **154 litres / 5.4 cu.ft.**

Fridge net capacity **151 litres / 5.3 cu.ft.**

Electricity consumption **153 kWh per year**

Approx. annual running cost **£18.36\***

EU Efficiency Rating: **A**

\* Based on an average figure of 12p per kWh including VAT



- Sliding hinge design, reversible
- Auto defrost
- Anti-bacterial protection
- Air stream shelf vents for improved air circulation
- Interior light
- 3 height-adjustable safety glass shelves
- Removable door trays
- Full width ripple based salad container with glass shelf above
- Can be combined with GID18A20GB



### Exxcel built-in freezer

**GID18A20GB white**

Gross capacity **106 litres / 3.7 cu.ft.**

Freezer net capacity **98 litres / 3.5 cu.ft.**

Freezing capacity **12 kg in 24 hours**

Max. storage time in power failure **25 hours**

Electricity consumption **194 kWh per year**

Approx. annual running cost **£23.28\***

EU Efficiency Rating: **A+**

\* Based on an average figure of 12p per kWh including VAT



- Sliding hinge design, reversible
- ★★★★★ freezer
- 4 transparent freezer drawers with aluminium trim
- Individual freezing elements
- Superfast freezing system
- Acoustic and optical high temperature and door open alarm system
- Drawer stops to accidental tipping of contents
- Can be combined with KIR18V00GB



### Exxcel built-in fridge with ice-box

#### KIL38A50GB white

Gross capacity **289 litres / 10.2 cu.ft.**  
 Fridge net capacity **246 litres / 8.7 cu.ft.**  
 Freezer net capacity **36 litres / 1.3 cu.ft.**  
 Freezing capacity **3kg in 24 hours**  
 Max. storage time in power failure **18 hours**  
 Electricity consumption **259 kWh per year**  
 Approx. annual running cost **£31.08\***  
 EU Efficiency Rating **A+**

\* Based on an average figure of 12p per kWh including VAT



- Flat hinge design, reversible
- Electronic control
- Supercool function
- Auto defrost
- Anti-bacterial protection
- Air stream shelf vents for improved air circulation
- Interior light
- 4 height adjustable, anti-spill safety glass shelves
- Pull-out fridge tray
- 2 full width salad containers with glass shelf above
- 2 egg racks for up to 12 eggs
- Butter dish
- Removable door trays with aluminium trim
- \*\*\*\* freezer compartment with 2 sections
- 1 ice cube tray



### Exxcel built-in fridge with ice-box

#### KIL24A50GB white

Gross capacity **211 litres / 7.5 cu.ft.**  
 Fridge net capacity **189 litres / 6.7 cu.ft.**  
 Freezer net capacity **17 litres / 0.6 cu.ft.**  
 Freezing capacity **2kg in 24 hours**  
 Max. storage time in power failure **12 hours**  
 Electricity consumption **224 kWh per year**  
 Approx. annual running cost **£26.88\***  
 EU Efficiency Rating **A+**

\* Based on an average figure of 12p per kWh including VAT



- Flat hinge design, reversible
- Electronic control
- Supercool function
- Auto defrost
- Anti-bacterial protection
- Air stream shelf vents for improved air circulation
- Interior light
- 4 height adjustable, anti-spill safety glass shelves
- Pull-out fridge tray
- 1 full width salad container with aluminium trim and glass shelf above
- 1 egg rack for up to 7 eggs
- Removable door trays with aluminium trim
- \*\*\*\* freezer compartment





### Classixx built-in fridge

#### KIR38A50GB white



Gross capacity **312 litres / 11.0 cu.ft.**

Fridge net capacity **308 litres / 10.9 cu.ft.**

Electricity consumption **142 kWh per year**

Approx. annual running cost **£17.04\***

EU Efficiency Rating **A+**

\* Based on an average figure of 12p per kWh including VAT



- Flat hinge design, reversible
- Electronic control
- Supercool function
- Auto defrost
- Anti-bacterial protection
- Air stream shelf vents for improved air circulation
- Interior light
- 6 height adjustable, anti-spill safety glass shelves
- Pull-out fridge tray
- 2 full width salad containers with glass shelf above
- 2 egg racks for up to 12 eggs
- Removable door trays



### Classixx built-in fridge

#### KIR24A50GB white



Gross capacity **228 litres / 8.0 cu.ft.**

Fridge net capacity **226 litres / 7.9 cu.ft.**

Electricity consumption **131 kWh per year**

Approx. annual running cost **£15.72\***

EU Efficiency Rating **A+**

\* Based on an average figure of 12p per kWh including VAT



- Flat hinge design, reversible
- Electronic control
- Supercool function
- Auto defrost
- Anti-bacterial protection
- Air stream shelf vents for improved air circulation
- Interior light
- 5 height adjustable, anti-spill safety glass shelves
- Pull-out fridge tray
- 1 full width salad container with aluminium trim and glass shelf above
- 1 egg rack for up to 7 eggs
- Removable door trays



### Classixx built-under larder fridge

#### KUR15A40GB white

Gross capacity **142 litres / 5.0 cu.ft.**

Fridge net capacity **141 litres / 5 cu.ft.**

Electricity consumption **146 kWh per year**

Approx. annual running cost **£17.52\***

EU Efficiency Rating: **A**

\* Based on an average figure of 12p per kWh including VAT



- Flat hinge design, reversible
- Anti-bacterial protection ■ Auto-defrost
- Interior light ■ Internal thermostat control
- 3 height-adjustable, anti-spill safety glass shelves, one with slide-under half-shelf facility
- 1 salad container with sliding glass shelf above
- 1 dairy compartment ■ Egg rack for up to 8 eggs
- Removable door trays
- Smooth interior walls for easy cleaning
- Can be combined with GUD15A40GB



### Classixx built-under fridge

#### KUL15A40GB white

Gross capacity **131 litres / 4.6 cu.ft.**

Fridge net capacity **110 litres / 3.9 cu.ft.**

Icebox net capacity **15 litres / 0.5 cu.ft.**

Electricity consumption **203 kWh per year**

Approx. annual running cost **£24.36\***

EU Efficiency Rating: **A**

\* Based on an average figure of 12p per kWh including VAT



- Flat hinge design, reversible
- Anti-bacterial protection ■ Auto-defrost
- Interior light ■ Internal thermostat control
- 2 height-adjustable, anti-spill safety glass shelves, one with slide-under half-shelf facility
- 1 salad container with sliding glass shelf above
- 1 dairy compartment ■ Egg rack for up to 8 eggs
- ★★★★★ icebox
- Removable door accessories for easy cleaning
- Smooth interior walls for easy cleaning

### Classixx built-under freezer

#### GUD15A40GB white

Gross capacity **114 litres / 4.0 cu.ft.**

Freezer net capacity **98 litres / 3.5 cu.ft.**

Electricity consumption **211 kWh per year**

Approx. annual running cost **£25.32\***

EU Efficiency Rating: **A**

\* Based on an average figure of 12p per kWh including VAT



- ★★★★★ freezer ■ Flat hinge design, reversible
- 3 transparent freezer drawers with individual freezing elements ■ Superfast freezing system
- Precise LED temperature control
- Visual and acoustic alarm system
- 2 freezer blocks and ice-cube tray
- Can be combined with KUR15A40GB





# Dishwashers.

## *Logixx* ActiveWater

Our premium range, with exceptional cutting-edge features and extras. Featuring ActiveWater technology, heat exchanger drying, automatic wash programmes, and a wealth of other cutting edge features, the Bosch Logixx models are not only the world's most powerful dishwashers, but also the world's most economical\*.



## *Exxcel* ActiveWater

Mid-range models with a broad range of extra features and benefits. They offer greater capacity, use less water, are quieter, and boast more features than the basic models. Like the automatic daily programme, or the powerful IntensiveZone function and the amazingly flexible Vario and VarioFlex basket systems with Rackmatic™.



## *Classixx*

Simple, practical models offering Bosch build quality and value for money. But they still feature the triple-A rated performance that comes with all our dishwashers, and a host of useful features, including the large item spray head, the convenient half load option, and the 29-minute quick-wash programme.



\* As of January 2008. Combined water and electricity consumption for a standard programme on a Bosch Logixx dishwasher.

# **The world's most economical dishwasher is also the world's most powerful dishwasher\***

## **Maximum performance meets minimum consumption**

ActiveWater from Bosch – Nothing less than the invention of a revolutionary new dishwashing system that uses every single drop of water to the maximum, and makes these dishwashers the most efficient ever to leave the production line.




# ActiveWater

## Technology serves economy

This incredible increase in efficiency of the ActiveWater dishwasher models has been achieved through the development of a new dishwasher system that maximises water efficiency during rinse cycles: faster heating, optimised filter system, targeted water distribution and improved pump performance. For the new ActiveWater dishwasher this spells: less water, less energy, more performance.

\* As of January 2008. Combined water and electricity consumption for a standard programme on a Bosch Logixx dishwasher.

# Dishwashers features and benefits.



## Performance



### AAA performance

At Bosch we are aware of the importance of energy efficient and environmentally friendly appliances. We are so confident of the quality and efficiency of our dishwashers that we offer AAA rated appliances in all our full size and slimline models – making our models the most efficient in the world.

### 5 spray levels

The uniquely designed curved spray arms distribute water precisely and effectively, ensuring perfect results every time. The water is sprayed on five different levels for maximum performance, including a downward spray to ensure that the filter area is kept permanently flushed clean.



### Hydrosensor III

Checks the degree of soiling in the prerinse water and decides whether it is clean enough to be used for the main wash cycle. If the water contains only a small amount of soiling, the water is reused. Around 20%, or 4 litres, of water can be saved using the HydroSensor.



### Heat exchanger

The unique heat recycling reservoir maximises performance by using heat that is generated in the main wash to pre-heat cold water used for the rinse cycles before it enters the dishwasher. Pre-heating the water minimises the risk of thermal shock which can occur when cold water strikes warm delicate items which can cause cracking or breakages. As an additional benefit this system is also an extremely energy efficient method of heating the water.

### Detergent aware

No matter which detergent you use – 5in1, 4in1, 3in1, 2in1 tablets or separate components – all our dishwashers will adjust the cycle to ensure that you always get the best possible results – every time. (Note that to ensure these results dishwasher salt should always be used).

### DosageAssist

Maximises the effectiveness of detergent tablets. The detergent dispenser is conveniently located in the centre of the top of the door, where it is protected from food remnants that drip whilst loading the dirty dishes. At the beginning of the wash cycle, the tab drops into a special tray in the top basket where its dissolving is controlled to assure outstanding results. This prevents tabs dropping down between plates or cutlery, or not dissolving completely, resulting in a less-than-perfect cleaning performance.





#### IntensiveZone

To save you the chore of scrubbing heavily soiled pots and pans, the entire bottom basket can be transformed into a power cleaning zone with increased spray pressure and a higher cleaning temperature, while in the top basket delicate glasses and dishes are rinsed gently and protectively.

#### AquaMix

Bosch AquaMix allows you to wash your delicate glasses with complete confidence. By regulating the level of water hardness in the machine and topping up with water directly from the mains it produces the best water hardness level for glass, ensuring a sparkling finish every time.

#### Advanced filter system

Our easy to remove and clean filter system now has 50% more surface area. This allows for up to 15% more water to be circulated through the system, so that even more cleaning power can be squeezed from every drop of water.



#### Hygiene Exxtra

Select the new Hygiene Exxtra option for a hotter final rinse – perfect for cooking utensils, glass jars, chopping boards and baby bottles.



#### AquaStop 24-hr flood protection

All Bosch dishwashers have flood protection systems, but for added peace of mind, most models feature 'AquaStop', a device that cuts off the water supply in the case of leaks, and a safety water valve to guard against siphoning, even when the machine is switched off.



#### Safety lock

The control panel or door can be locked to stop little fingers from interfering when the machine is running.

# Dishwashers features and benefits.



## Convenience



### VarioSpeed

Optionally reduces programme times by up to 50%, but without compromising on quality. So you still get hygienically clean and dry dishes, but in as little as half the time – ideal for busy households and when entertaining.

### Large item spray head

Makes light work of baking trays or oven shelves, without the need for pre-soaking. Simply remove the upper basket, attach the large item spray head, and get powerful cleaning where you need it. The large item spray head comes as standard with all Bosch dishwashers – and on Exxcel and Logixx models, it's now even larger.



### Half load

If you don't have enough for a full load and can't wait, simply load the crockery, plates, pots and pans anywhere in your dishwasher, select the programme temperature and press the half load button. The programme time is reduced and up to 30% less water is used.



### 14 place settings

There is enough space for 14 full place settings in the Logixx ActiveWater dishwashers with VarioDrawer. Or, put into figures: 14 dinner, soup and dessert plates, 14 cups and saucers, 14 glasses and 14 cutlery settings – knife, fork, soup, tea and dessert spoons, plus 1 oval serving plate, 2 serving bowls, 2 serving spoons, 1 serving fork and 1 sauce spoon.

### Vario, Varioflex or VarioFlexPlus baskets with Rackmatic™

With the enlarged loading area, the Bosch basket systems featured in the Exxcel and Logixx models offer more capacity, up to 14 place settings, and greater flexibility. With up to six foldable racks the system can be adapted to any load, and all items are assured a firm, secure place in the protective racks. The new 3-stage Rackmatic™ system makes it a simple matter to adjust the height of the upper basket, even when it is fully loaded – normally a cumbersome task. With three different loading heights a large variety of plates, glasses and other dishes can easily be accommodated.



#### The VarioDrawer

A unique feature of our new top-of-the-range Logixx dishwasher interior is a third loading level – the VarioDrawer. It replaces the cutlery basket, freeing even more space in the bottom basket. The VarioDrawer is easily removable to allow loading and unloading of cutlery, and there is even room for espresso cups and kitchen utensils. And what's more, even with the drawer in place you can still load long-stem wine glasses in the upper basket.

#### Logical control

All our machines feature water supply, salt and rinse-aid indicators, as well as displaying remaining programme time and start time delay.

#### Bosch recommends Finish

Use Finish to get amazing results every time you open your Bosch dishwasher. Finish have a complete range of products to suit your dishwashing needs, including new Finish Quantum which combines the power of three separate ingredients in one single product to give you amazing shine and clean.

A range of enhancers are also available such as Finish Intensive Clean & Care Dishwasher Cleaner which removes grease and limescale to maintain your machine's performance and give you perfect results in every cycle.



**Logixx semi-integrated 6-programme dishwasher****SMI69T05GB brushed steel**Capacity **14 place settings**

Consumption rates (Eco 50°C)

Energy **0.98 kWh**Water **10 litres**Time **140 mins**

- New concept control panel with metal touch controls, designed to complement the Bosch oven range
- 14 place settings
- Uses only 10 litres of water
- 6 programmes: Prerinse, Quick Wash 45°C, Economy 50°C, Auto Delicate 35°C-45°C, Auto Daily 45°C-65°C, Auto Intensive 65°C-75°C
- Half load
- Hygiene Exxtra
- IntensiveZone
- VarioSpeed – cuts programme times by up to 50%
- HydroSensor III – saves up to 4 litres of water
- Time delay (1 – 24 hours)
- VarioFlex Plus basket system with VarioDrawer for ultimate space and flexibility
- 3-step Rackmatic™ height adjustable upper basket
- Foldable plate racks: 6 in upper basket and 6 in lower basket
- Large item spray head
- DosageAssist system
- Detergent aware
- 50% larger filter
- Energy efficient heat exchanger for hygienic condenser drying
- Stainless steel interior
- Safety lock
- Aquastop – 24 hr antiflood protection

**Exxcel semi-integrated 5-programme dishwasher****SMI53M05GB brushed steel**Capacity **13 place settings**

Consumption rates (Eco 50°C)

Energy **1.05 kWh**Water **12 litres**Time **140 mins**

- New concept control panel with metal touch controls, designed to complement the Bosch oven range
- 13 place settings
- Uses only 12 litres of water
- 5 programmes: Prerinse, Quick Wash 45°C, Economy 50°C, Auto Daily 45°C-65°C, Intensive 70°C
- Half load
- Hygiene Exxtra
- IntensiveZone
- VarioSpeed – cuts programme times by up to 50%
- HydroSensor III – saves up to 4 litres of water
- Time delay (1 – 24 hours)
- VarioFlex basket system for more space and flexibility
- 3-step Rackmatic™ height adjustable upper basket
- Foldable plate racks: 2 in upper basket and 4 in lower basket
- Large item spray head
- DosageAssist system
- Detergent aware
- 50% larger filter
- Residual heat drying
- Stainless steel interior
- Safety lock
- Aquastop – 24 hr antiflood protection



### Exxcel semi-integrated 5-programme dishwasher

**SMI50M05GB brushed steel**

**SMI50M06GB black**

**SMI50M02GB white**

Capacity **13 place settings**  
 Consumption rates (Eco 50°C)  
 Energy **1.05 kWh**  
 Water **12 litres**  
 Time **140 mins**



- LED control, designed to complement the Bosch oven range
- 13 place settings
- Uses only 12 litres of water
- 5 programmes: Prerinse, Quick Wash 45°C, Economy 50°C, Auto Daily 45°C-65°C, Intensive 70°C
- Half load
- VarioSpeed – cuts programme times by up to 50%
- HydroSensor III – saves up to 4 litres of water
- Time delay (1 – 24 hours)
- Vario basket system
- 3-step Rackmatic™ height adjustable upper basket
- Foldable plate racks: 2 in upper basket and 2 in lower basket
- Large item spray head
- DosageAssist system
- Detergent aware
- 50% larger filter
- Residual heat drying
- Stainless steel interior
- Safety lock
- Aquastop – 24 hr antiflood protection



### Classixx semi-integrated 4-programme dishwasher

**SGI45E15UK brushed steel**

**SGI45E16UK black**

**SGI45E12UK white**

Capacity **12 place settings**  
 Consumption rates (Eco 50°C)  
 Energy **1.05 kWh**  
 Water **13 litres**  
 Time **140 mins**



- 12 place settings
- 4 programmes: Prerinse, Quick Wash 45°C, Economy 50°C, Normal 65°C
- Half load
- LED time remaining indicator
- LED salt and rinse aid indicators
- LED water fault indicator
- Pop-out control
- Time delay (1 – 19 hours)
- Light grey baskets with height adjustable upper basket
- Foldable plate racks: 2 in lower basket
- Large item spray head
- Upper knife rack
- Residual heat drying
- Polinox and stainless steel interior



### Logixx fully integrated 6-programme dishwasher

#### SMV69T10GB

Capacity **14 place settings**

Consumption rates (Eco 50°C)

Energy **0.98 kWh**

Water **10 litres**

Time **140 mins**



- Black glass control panel with touch controls
- 14 place settings
- Uses only 10 litres of water
- 6 programmes: Prerinse, Quick Wash 45°C, Economy 50°C, Auto Delicate 35°C-45°C, Auto Daily 45°C-65°C, Auto Intensive 65°C-75°C
- Half load
- Hygiene Exxtra
- IntensiveZone
- VarioSpeed – cuts programme times by up to 50%
- HydroSensor III – saves up to 4 litres of water
- Info light to indicate that the dishwasher is in use
- Time delay (1 – 24 hours)
- VarioFlex Plus basket system with VarioDrawer for ultimate space and flexibility
- 3-step Rackmatic™ height adjustable upper basket
- Foldable plate racks: 6 in upper basket and 6 in lower basket
- Large item spray head
- DosageAssist system
- Detergent aware
- 50% larger filter
- Energy efficient heat exchanger for hygienic condenser drying
- Stainless steel interior
- Safety lock
- Aquastop – 24 hr antiflood protection





### Logixx fully integrated 6-programme dishwasher

#### SBV69M10GB


Capacity **14 place settings**

Consumption rates (Eco 50°C)


Energy **1.05 kWh**

Water **12 litres**

Time **140 mins**



- Extra tall interior height for accommodating plates up to 33cm
- Brushed steel control panel with buttons
- 14 place settings
- Uses only 12 litres of water
- 6 programmes: Prerinse, Quick Wash 45°C, Economy 50°C, Delicate 40°C, Auto Daily 45°C-65°C, Intensive 70°C
- Half load
- Hygiene Exxtra
- IntensiveZone
- VarioSpeed – cuts programme times by up to 50%
- HydroSensor III – saves up to 4 litres of water
- Info light to indicate that the dishwasher is in use
- Time delay (1 – 24 hours)
- VarioFlex Plus basket system with VarioDrawer for ultimate space and flexibility
- 3-step Rackmatic™ height adjustable upper basket
- Foldable plate racks: 2 in upper basket and 4 in lower basket
- Large item spray head
- DosageAssist system
- Detergent aware
- 50% larger filter
- Energy efficient heat exchanger for hygienic condenser drying
- Stainless steel interior
- Safety lock
- Aquastop – 24 hr antiflood protection



86.5cm model compared with a standard dishwasher

### Larger interior for added convenience

An additional benefit of the SBV69M10GB dishwasher is that it has an extra 5 cm of interior space. This means that even larger than normal items can be washed comfortably. For example if the top basket is adjusted, plates as large as 33cm can be accommodated in the lower basket. With its height adjustable feet the SBV69M10GB is suitable for niche heights from 865mm – 925mm.





### Exxcel fully integrated 6-programme dishwasher

**SMV63M00GB brushed steel**

Capacity **13 place settings**

Consumption rates (Eco 50°C)

Energy **1.05 kWh**

Water **12 litres**

Time **140 mins**



- Brushed steel control panel with buttons
- 13 place settings
- Uses only 12 litres of water
- 6 programmes: Prerinse, Quick Wash 45°C, Economy 50°C, Delicate 40°C, Auto Daily 45°C-65°C, Intensive 70°C
- IntensiveZone
- VarioSpeed – cuts programme times by up to 50%
- HydroSensor III – saves up to 4 litres of water
- Info light to indicate that the dishwasher is in use
- Time delay (1 – 24 hours)
- VarioFlex basket system for more space and flexibility
- 3-step Rackmatic™ height adjustable upper basket
- Foldable plate racks: 2 in upper basket and 4 in lower basket
- Large item spray head
- DosageAssist system
- Detergent aware
- 50% larger filter
- Energy efficient heat exchanger for hygienic condenser drying
- Perfect for glassware
- Stainless steel interior
- Safety lock
- Aquastop – 24 hr antiflood protection



### Exxcel fully integrated 5-programme dishwasher

**SMV53M00GB brushed steel**

Capacity **13 place settings**

Consumption rates (Eco 50°C)

Energy **1.05 kWh**

Water **12 litres**

Time **140 mins**



- Brushed steel control panel with buttons
- 13 place settings
- Uses only 12 litres of water
- 5 programmes: Prerinse, Quick Wash 45°C, Economy 50°C, Auto Daily 45°C-65°C, Intensive 70°C
- Half load
- VarioSpeed – cuts programme times by up to 50%
- HydroSensor III – saves up to 4 litres of water
- Info light to indicate that the dishwasher is in use
- Time delay (1 – 24 hours)
- VarioFlex basket system for more space and flexibility
- 3-step Rackmatic™ height adjustable upper basket
- Foldable plate racks: 2 in upper basket and 4 in lower basket
- Large item spray head
- DosageAssist system
- Detergent aware
- 50% larger filter
- Residual heat drying
- Stainless steel interior
- Safety lock
- Aquastop – 24 hr antiflood protection



### Exxcel fully integrated 5-programme dishwasher

#### SBV50E10GB black

Capacity **13 place settings**

Consumption rates (Eco 50°C)


Energy **1.05 kWh**

Water **12 litres**

Time **140 mins**



- Extra tall interior height for accommodating plates up to 33cm
- 13 place settings
- Uses only 12 litres of water
- 5 programmes: Prerinse, Quick Wash 45°C, Economy 50°C, Auto Daily 45°C-65°C, Intensive 70°C
- Half load
- HydroSensor III – saves up to 4 litres of water
- Time delay (3, 6 or 9 hours)
- Vario basket system
- 3-step Rackmatic™ height adjustable upper basket
- Foldable plate racks: 2 in lower basket
- Large item spray head
- DosageAssist system
- Detergent aware
- 50% larger filter
- Residual heat drying
- Stainless steel interior
- Safety lock
- Aquastop – 24 hr antiflood protection



86.5cm model compared with a standard dishwasher

### Larger interior for added convenience

An additional benefit of the SBV50E10GB dishwasher is that it has an extra 5 cm of interior space. This means that even larger than normal items can be washed comfortably. For example if the top basket is adjusted, plates as large as 33cm can be accommodated in the lower basket. With its height adjustable feet the SBV50E10GB is suitable for niche heights from 865mm – 925mm.

**Exxcel fully integrated 5-programme dishwasher****SMV50E00GB black**Capacity **13 place settings**

Consumption rates (Eco 50°C)

Energy **1.05 kWh**Water **12 litres**Time **140 mins**

- 13 place settings
- Uses only 12 litres of water
- 5 programmes: Prerinse, Quick Wash 45°C, Economy 50°C, Normal 65°C, Intensive 70°C
- Half load
- Time delay (3, 6 or 9 hours)
- Vario basket system
- 3-step Rackmatic™ height adjustable upper basket
- Foldable plate racks: 2 in upper basket and 2 in lower basket
- Large item spray head
- DosageAssist system
- Detergent aware
- 50% larger filter
- Residual heat drying
- Stainless steel interior
- Safety lock
- Aquastop – 24 hr antiflood protection

**Classixx fully integrated 4-programme dishwasher****SGV46M03GB brushed steel**Capacity **12 place settings**

Consumption rates (Eco 50°C)

Energy **1.05 kWh**Water **13 litres**Time **140 mins**

- 4 programmes: Prerinse, Quick Wash 45°C, Economy 50°C, Auto 55°C-65°C
- Half load
- LED salt and rinse aid indicators
- Silver baskets
- 2-step Rackmatic™ height adjustable upper basket
- Foldable plate racks: 2 in upper basket and 2 in lower basket
- Residual heat drying
- Aquastop – 24 hr antiflood protection
- Polinox and stainless steel interior



### Exxcel fully integrated 4-programme dishwasher

**SRV43M03GB black**



Capacity **9 place settings**  
Consumption rates (Eco 50°C)  
Energy **0.80 kWh**  
Water **13 litres**  
Time **155 mins**



- 4 programmes: Prerinse, Quick Wash 35°C, Economy 50°C, Normal 65°C
- LED salt and rinse aid indicators
- Silver baskets
- 2-step Rackmatic™ height adjustable upper basket
- Foldable plate racks: 2 lower basket
- Large item spray head
- Heat exchanger
- Stainless steel interior
- Antiflood protection

#### Optional accessories:

Extension pipes for Aquastop installation SGZ 1010



### Compact dishwasher

**SKS40E11GB white** (4 programme)

**SKS50E16EU black** (5 programme)

**SKS50E01EU red** (5 programme)

**SKS50E11EU yellow** (5 programme)

**SKS50E18EU silver innox** (5 programme)

Capacity **6 place settings**  
Consumption rates (Normal 65°C)  
Energy **0.63 kWh**  
Water **8 litres**  
Time **140 mins**



- 5 programmes:
  - Quick 29 min
  - Delicate 40°C (not on 4 programme model)
  - Economy 50°C
  - Normal 65°C
  - Intensive 70°C
- 6 place settings
- Silver baskets
- Cup rack
- Programme status indicator
- Salt and rinse aid indicators
- Detergent aware
- Residual heat drying
- Adjustable water softener
- Quiet operation 52dB (re 1 pW)
- Stainless steel concealed heating element
- Cold fill recommended
- Extra dry function (only on 5 programme model)



# Home laundry.

## *Logixx*

Our premium range, with exceptional cutting-edge features and extras. A 1400rpm washing machine, with LED display clearly showing you the wash progress. Offering a wide range of programme options designed for today's lifestyle, like the Dark and Sports Wash programmes, and the blisteringly fast Super Quick 15-minute programme for light loads – one of the shortest complete washing programmes of any machine on the market.



## *Exxcel*

Mid-range models with a broad range of extra features and benefits. Including a large capacity 7kg washing machine with unique Soft Surge drum system and space saving washer dryer. Both feature dedicated handwash wool programmes to take care of your most delicate woollens.





# Home laundry features and benefits.



## Programmes

### Dark wash

Designed specifically for dark clothes, and available across a range of temperatures, this programme reduces fading, and ensures no flecks of washing powder remain on your clothes at the end of the wash.

### Delicates silk

An especially caring programme with a gentle wash action. Intermediate spinning in the rinse cycle is omitted, and a gentle final spin at 600 rpm completes this delicate programme.



### Handwash wool

An exceptionally gentle woollens handwash programme, which runs at only 27 rpm (usual speed 50 rpm) with a soft wash action and special spin phase that ensures that everything stays in good shape.

### Mixed load

A fast wash that allows mixed fabrics and colour loads to be safely washed together. Originally designed with school uniforms in mind, it is capable of handling up to 3kg of washing, and is ideal for quick washes that might be required before a full load of laundry has been collected.

### Power wash 60

The Power Wash 60 programme for medium loads (up to 5kg) gives an A-class performance wash within 60 minutes.

### Sensitive

By prolonging the maximum wash temperature, increasing the water level, and adding an extra rinse, this programme reduces exposure to allergens that irritate sensitive skin.

### Sports wash

A programme for modern sports clothes with Sportswear microfibre technology like those used for gym, cycling or jogging.



### SuperQuick 15

A short programme of approximately 15 minutes for 2kg of lightly soiled washing – that's roughly equivalent to one outfit or 10 men's shirts. Packing in a wash, two rinse cycles and improved rinse spinning, this is one of the shortest complete washing programmes of any machine on the market.

### Freshen up

This handy feature gives clothing the lightest of washes without using any detergent – particularly useful for freshening up stored clothes or eliminating the smell of cigarette smoke on lightly worn clothes. It cuts down on wear and tear of clothes, takes only 20 minutes and reduces energy use.

### Pre-wash option

For especially dirty clothes, a pre-wash will loosen dirt and remove it from the clothes prior to the main wash.

### Reduced ironing option

The laundry is tumbled gently periodically during the normal programme spin cycle, and then at the end of the spin phase, keeping laundry fluffy and tangle free. The result is reduced creasing, and therefore easier ironing.





## Performance



### Better than A-rated energy efficiency

All our washing machines deliver an A rated wash performance, while using as much as 10% less energy than required for A rated energy efficiency.

### Aqua plus

With Aqua Plus, a higher water level is used throughout the wash and rinse cycles of the chosen wash programme – for best rinsing results.

### Wash plus system

The Wash Plus system extends a wash programme to give a more intensive wash, and brings the equivalent of an A-class wash performance to a wider range of temperatures than ever before. Unlike most washing machines on the market, Bosch machines now deliver the equivalent of an A-class performance not only at 60°C, but at 40°C and 90°C as well.



### 3D AquaSpa wash system

A wash and shower system for optimum washing results. Water enters the drum from three sides for quick and effective distribution. During the cycle specially designed paddles scoop up the water gently bathing the wash load, ensuring gentle washing and optimum usage of the water in the drum.

### Unique SoftSurge™ drum system

Gives better cleaning results, as well as providing greater protection for your washing. The asymmetric paddles and 'rain-drop' drum surface design provides power for those heavy-duty jobs, while being gentle on your clothes. The advanced Water Flow System more efficiently distributes the water and detergents through the wash, and reduces soaking time. Add to this new moulding of the window glass that guides your laundry towards the centre of the drum, and so avoids snagging of small items between the glass and the door seal, and you have the new state-of-the art SoftSurge™ drum system; efficient, gentle and time saving.

## Convenience



### Time delay

This option allows you to programme your washing machine to start between 1 and 24 hours after you set it. So you can time your washing to be ready for when you get home, or take advantage of cheaper late-night electricity rates.

### Digital display

Our Logixx washing machine features a large display that clearly shows the wash progress, time remaining, spin speed and temperature selected.

## Safety



### MultiSafe

All Bosch washing machines are designed with safety in mind, from the highly pressure-resistant water supply hose and overflow prevention systems, to the electronic lock that prevents the porthole from being opened unintentionally mid-cycle.



### Logixx washing machine

**WIS28440GB white**



- New display with programme status via symbols, remaining time, spin speed
- Large capacity 7kg
- Express Wash system with up to 40% faster programme times
- Wash Plus system for A wash performance
- Freshen Up programme
- Mixed Load programme
- Variable spin speed selector through display in 200 rpm steps
- Maximum spin speed 1400 rpm
- 15 'Clothes Care' programmes
- Reduced ironing option
- Aqua Plus option
- Power Wash 60
- Handwash Wool and Delicates
- Selectable prewash
- Time delay 1 – 24 hours
- SoftSurge drum
- 3D AquaSpa wash system with cascade for faster water penetration
- SuperQuick 15
- Dark Wash
- Sensitive Wash
- Sports Wash
- The large porthole with 130° opening door makes loading and unloading exceptionally easy
- Clear text and symbols on the fascia to ensure ease of use
- Easy-to-use programme / temperature selector
- Gentle drum action for woollens
- Safeguard monitoring system adjusts load distribution and programme settings to protect clothes
- Very quiet noise level
- Cold fill
- AquaStop anti flood device



### Exxcel washing machine

**WIS24140GB white**



- Large capacity 7kg
- Express Wash system with up to 40% faster programme times
- Wash Plus system for A wash performance
- Mixed Load programme
- Handwash Wool and Delicates
- Maximum spin speed 1200 rpm
- 15 'Clothes Care' programmes
- Aqua Plus option
- Spin speed selector with rinse hold option
- Selectable prewash
- Reduced ironing option
- SoftSurge drum
- 3D AquaSpa wash system with cascade for faster water penetration
- LED programme status indicator
- The large porthole with 130° opening door makes loading and unloading exceptionally easy
- Clear text and symbols on the fascia to ensure ease of use
- Easy-to-use programme / temperature selector
- Gentle drum action for woollens
- Safeguard monitoring system adjusts load distribution and programme settings to protect clothes
- Very quiet noise level
- Cold fill
- AquaStop anti flood device



### Exxcel washer dryer

**WVTi2842GB white**



- 15 'ClothesCare' Programmes
- Reduced time option – reducing wash times by up to 40%
- LED programme status indicators for washing and drying
- Display for setting spin speed and drying time
- Remaining time indicator for drying cycle
- Time Delay 1 – 24 hours
- Handwash Wool
- Rinse Hold Option on all programmes
- Variable spin speed selector via display
- Selectable Prewash
- Two drying levels – normal and delicate
- Manual timer 20-120 minutes
- Cold fill



### Exxcel washer dryer

**WKD28350GB white**



- 15 'ClothesCare' Programmes
- Flexi time option – reducing wash times by up to 30% in two steps
- LED programme status indicators for washing and drying
- Display for setting spin speed and drying time
- Maximum spin speed 1400 rpm
- Remaining time indicator for drying cycle
- Time Delay 1 – 19 hours
- Handwash Wool
- Rinse Hold Option on all programmes
- Large 30cm porthole door with 95° opening
- Variable spin speed selector via display
- Selectable Prewash
- Two drying levels – normal and delicate
- Reduced ironing
- Aqua Plus – higher water level and additional rinse
- Manual timer 20-150 minutes
- Fluff removal cycle
- Cold fill

## Bosch customer service.



### The quality of our appliances is superb.

However we realise that components do occasionally fail which is why we set great store by the quality of our customer service.

All Bosch appliances come with a full two years' warranty (to take advantage of the second year the appliance guarantee card must be returned to us). This warranty can be extended for a further three years (total 5 years) with a Breakdown Protection Plan which covers parts, labour and call out charges for an unlimited number of breakdown repairs and also extends your warranty to include accidental damage.


Bosch customer service run one of the most efficiently run computer-controlled nationwide networks in the UK, who can normally send a Bosch service engineer to you within two days of your call. Service vans hold a large stock of replacement spare parts on board and over 97% of all functional parts are immediately available from stock. In the rare event that a part is not in stock, a computer link to the German spares operation in Munich ensures that it will be ordered without delay. If an appliance is discontinued, we guarantee that the major components will still be available for at least 10 years.

For any queries about your Bosch appliance, please call our product advice department at Bosch Customer Service on 0844 892 8925.

For queries relating to cover please call our 24 hour helpline on 08706 000535. We will be more than happy to help you.



Bosch Customer Service have been awarded Domestic & General's TEQ (Total Excellence & Quality) Award 2009. In a comprehensive Bosch Customer Service survey carried out by D & G, one of the UK's largest insurance companies specialising in domestic repairs, Bosch Customer Service came out top, against other leading manufacturers.



## Getting in contact with Bosch

Product Advice Line

**0844 892 8925**

Replacement Spare Parts  
and Accessories

**0844 892 8921**

To arrange an engineer visit

**0844 892 8979**

Brochure Line

**0844 892 9023**

## Bosch

Grand Union House

Old Wolverton Road

Wolverton

Milton Keynes MK12 5PT



[www.bosch-home.co.uk](http://www.bosch-home.co.uk)



**I want  
to win  
£2000**  
worth of Bosch Products

Visit [www.bosch.co.uk](http://www.bosch.co.uk)  
for your chance to win  
every month

Terms and conditions apply

UK Calls provided by a UK BT Landline will be charged at up to 3 pence per minute. A Call Set-Up Fee of up to 6 pence per call applies to calls from residential lines. Mobile and other providers' costs may vary. See [www.bt.com/pricing](http://www.bt.com/pricing) for details.

This brochure is current as from the publication date and supersedes all previous brochures for these products. Every effort has been made to ensure the information in it is correct at the time of going to press. Due to a policy of continuous development, Bosch reserves the right to modify technical data without notice. All rights reserved. No part of this publication may be reproduced in any form or by any means without the prior written permission of BSH Home Appliances Ltd. All colour variations are due to the limitations of the printing process. This brochure is printed on environment-friendly chlorine-free bleached paper. 9/2009.